



Kit Revision Date: 08/07/2021

## **832C TRANSLUCENT EPOXY ENCAPSULATING AND POTTING COMPOUND KIT**

### **MG Chemicals Multipart Product Kit**

This product is a kit made up of multiple parts. Each part is an independently packaged chemical component and has independent hazard assessments.

#### **Kit Content**

<i><b>Part</b></i>	<i><b>Product Name</b></i>	<i><b>Product Use</b></i>
A	Translucent Epoxy	Epoxy resins for use with hardeners
B	Epoxy Hardener	Epoxy hardener for use with resins

*Safety Data Sheets for each part listed above follow this cover sheet.*

#### **Transportation Instruction**

Before offering this product kit for transport, read Section 14 for all parts listed above.

## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

### 1 Identification

- **Product identifier**
- **Trade name:** 832C-A
- **Other Means of Identification:** Translucent Epoxy Encapsulating and Potting Compound
- **Related Part Number:**  
832C-A, 832C-A-375ML, 832C-A-375MLCA, 832C-A-450ML, 832C-A-3L, 832C-A-60L
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Epoxy resin for use with hardeners
- **Uses advised against** Not for use as a spray coating
- **Details of the supplier of the safety data sheet** M.G. Chemicals Ltd.
- **Manufacturer/Supplier:**

MG Chemicals Ltd. (Head Office)  
1210 Corporate Drive  
Burlington, Ontario L7L 5R6  
CANADA  
+(1) 800-340-0772

Mektronics Australia Pty Ltd  
5 Prince William Drive  
Seven Hills  
NSW 2147  
Australia  
www.mektronics.com.au  
sales@mektronics.com.au

- **Further information obtainable from:** sds@mgchemicals.com
- **Emergency telephone number:**  
CHEMTREC Australia: + (61) 2-9037-2994  
Other emergency telephone number: +(1) 703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**



Skin Irrit. 2

H315 Causes skin irritation.

Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 1)

· **Hazard pictograms**

GHS07

· **Signal word** Warning· **Hazard-determining components of labelling:**

oxirane, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer (89 %)  
 oxirane, mono[(C12-14-alkyloxy)methyl] derivs (11 %)

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep out of reach of children.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

25085-99-8 oxirane, 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, 89%  
 homopolymer

⚠ Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319;  
 Skin Sens. 1B, H317

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs 11%

⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

AU

## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 2)

- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**  
Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.
- **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:**  
No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 3)

· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

## 9 Physical and Chemical Properties

· **General Information**· **Appearance:**· **Form:**

Fluid

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**· **Melting point/freezing point:**

Undetermined.

· **Initial boiling point and boiling range:**

150 °C

· **Flash point:**

142 °C

· **Flammability (solid, gas):**

Not applicable.

· **Auto-ignition temperature:**

235 °C

· **Decomposition temperature:**

Not determined.

· **Ignition temperature:**

Product is not selfigniting.

· **Explosive properties:**

Product does not present an explosion hazard.

(Contd. on page 5)

—AU—

## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 4)

· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	1.13 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic at 20 °C:</b>	1,800 mm <sup>2</sup> /s
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Solids content:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 5)

· **Additional ecological information:**· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.**13 Disposal considerations**· **Waste treatment methods**· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**14 Transport information**· **UN-Number**

UN3082

· **ADG, IMDG, IATA**· **UN proper shipping name**· **ADG**

NOT REGULATED by Ground ADR Special Provision 375 for sizes 5L or less.

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxirane,2,2'-[(1-methylethylidene)bis-(4,1-phenyleneoxymethylene)]bis-, homopolymer)

· **IMDG**

NOT REGULATED by Sea IMDG according to 2.10.2.7 for sizes of 5L or less.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxirane,2,2'-[(1-methylethylidene)bis-(4,1-phenyleneoxymethylene)]bis-, homopolymer), MARINE POLLUTANT

· **IATA**

NOT REGULATED by Air IATA Special Provision A197 for sizes 5L or less.

Environmentally hazardous substance, liquid, n.o.s. (oxirane,2,2'-[(1-methylethylidene)bis-(4,1-phenyleneoxymethylene)]bis-, homopolymer)

· **Transport hazard class(es)**· **ADG, IMDG, IATA**· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

(Contd. on page 7)

AU



## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 6)

· <b>Packing group</b>	III
· <b>ADG, IMDG, IATA</b>	
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	Symbol (fish and tree)
· <b>Special marking (ADG):</b>	Symbol (fish and tree)
· <b>Special marking (IATA):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles.
· <b>Hazard identification number (Kemler code):</b>	90
· <b>EMS Number:</b>	F-A,S-F
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	(-)
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXIRANE,2,2'-[(1-METHYLETHYLIDENE) BIS(4,1-PHENYLENEOXYMETHYLENE)] BIS-, HOMOPOLYMER), 9, III

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Australian Inventory of Industrial Chemicals**  
All ingredients are listed.
- **Standard for the Uniform Scheduling of Medicines and Poisons**  
None of the ingredients is listed.
- **Australia: Priority Existing Chemicals**  
None of the ingredients is listed.
- **GHS label elements**  
The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)

AU



## according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

(Contd. of page 7)

· **Hazard pictograms**

GHS07

· **Signal word** Warning· **Hazard-determining components of labelling:**

oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer (89 %)  
 oxirane, mono[(C12-14-alkyloxy)methyl] derivs (11 %)

· **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep out of reach of children.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **Seveso category** E2 Hazardous to the Aquatic Environment· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· **Department issuing SDS:** Product safety department.· **Contact:** sds@mgchemicals.com· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 9)

**according to WHS Regulations**

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

**Trade name: 832C-A**

(Contd. of page 8)

*Skin Sens. 1: Skin sensitisation – Category 1**Skin Sens. 1B: Skin sensitisation – Category 1B**. \* **Data compared to the previous version altered.***

—AU—

## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

### 1 Identification

- **Product identifier**
- **Trade name:** **8320-Part B**
- **Other Means of Identification:** Epoxy hardner for use with resins
- **Related Part Number:**  
8320-B, 832B-B, 832C-B, 832HT-B, 8320-125ML, 8320-150ML, 8320-1L, 8320-12L, 8320-20L, 832B-375ML, 832B-450ML, 832B-3L, 832B-12L, 832B-60L, 832C-375ML, 832C-450ML, 832C-3L, 832C-60L, 832HT-375ML, 832HT-3L kits
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Epoxy resin for use with hardeners
- **Details of the supplier of the safety data sheet** M.G. Chemicals Ltd.
- **Manufacturer/Supplier:**  
  
MG Chemicals Ltd. (Head Office)  
1210 Corporate Drive  
Burlington, Ontario L7L 5R6  
CANADA  
+(1) 800-340-0772  
  
Mektronics Australia Pty Ltd  
5 Prince William Drive  
Seven Hills  
NSW 2147  
Australia  
www.mektronics.com.au  
sales@mektronics.com.au
- **Further information obtainable from:** sds@mgchemicals.com
- **Emergency telephone number:**  
CHEMTREC Australia: + (61) 2-9037-2994  
Other emergency telephone number: +(1) 703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**



corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

Trade name: 8320-Part B

(Contd. of page 1)

· **Hazard pictograms**

GHS05 GHS07

· **Signal word** *Danger*· **Hazard-determining components of labelling:**

fatty acids, C18-unsatd., dimers, reactionproducts with polyethylenepolyamines (92 %)  
3,6-diazaoctanethylenediamin (8 %)

· **Hazard statements**

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep out of reach of children.

Do not breathe dusts or mists.

Wear protective gloves / eye protection / face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

68410-23-1 fatty acids, C18-unsatd., dimers, reactionproducts with 92%  
polyethylenepolyamines

Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317

112-24-3 3,6-diazaoctanethylenediamin

8%

Skin Corr. 1B, H314; Acute Tox. 4, H312; Skin Sens. 1, H317

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 3)

**according to WHS Regulations**

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

**Trade name: 8320-Part B**

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## **5 Fire Fighting Measures**

- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Protective equipment:** Mouth respiratory protective device.

## **6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## **7 Handling and Storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

## **8 Exposure controls and personal protection**

- **Additional information about design of technical facilities:**  
No further data; see section 7.

(Contd. on page 4)

— AU —

## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

Trade name: 8320-Part B

(Contd. of page 3)

- **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and Chemical Properties

- **General Information**

- **Appearance:**

- **Form:**

Fluid

- **Colour:**

According to product specification

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

- **Melting point/freezing point:**

Undetermined.

- **Initial boiling point and boiling range:**

Undetermined.

- **Flash point:**

122 °C

- **Flammability (solid, gas):**

Not applicable.

- **Decomposition temperature:**

Not determined.

(Contd. on page 5)

## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

Trade name: 8320-Part B

(Contd. of page 4)

· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	0.96 g/cm <sup>3</sup>
· <b>Bulk density:</b>	916 kg/m <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic at 20 °C:</b>	6,000 mm <sup>2</sup> /s
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Solids content:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
  - **Acute toxicity** Based on available data, the classification criteria are not met.
  - **LD/LC50 values relevant for classification:**
- ATE (Acute Toxicity Estimates)**  
Dermal LD50 10,063 mg/kg (rabbit)
- 112-24-3 3,6-diazaoctanethylenediamin**  
Oral LD50 2,500 mg/kg (rat)  
Dermal LD50 805 mg/kg (rabbit)
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
  - **Serious eye damage/irritation**  
Based on available data, the classification criteria are not met.
  - **Respiratory or skin sensitisation** May cause an allergic skin reaction.
  - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
  - **Carcinogenicity** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity** Based on available data, the classification criteria are not met.
  - **STOT-single exposure** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)



## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

Trade name: 8320-Part B

(Contd. of page 5)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

## 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Must not reach sewage water or drainage ditch undiluted or unneutralised.  
 Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

## 14 Transport information

- **UN-Number**
  - **ADG, IMDG, IATA**
  - **UN proper shipping name**
  - **ADG**
  - **IMDG**
  - **IATA**
- UN2735
- 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, fatty acids, C18-unsatd., dimers, reactionproducts with polyethylenepolyamines), ENVIRONMENTALLY HAZARDOUS
- AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, fatty acids, C18-unsatd., dimers, reactionproducts with polyethylenepolyamines), MARINE POLLUTANT
- Amines, liquid, corrosive, n.o.s. (TRIETHYLENETETRAMINE, fatty acids, C18-unsatd., dimers, reactionproducts with polyethylenepolyamines)

(Contd. on page 7)

AU

## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

Trade name: 8320-Part B

(Contd. of page 6)

· **Transport hazard class(es)**· **ADG, IMDG**· **Class**

8 Corrosive substances.

· **Label**

8

· **IATA**· **Class**

8 Corrosive substances.

· **Label**

8

· **Packing group**· **ADG, IMDG, IATA**

II

· **Environmental hazards:**· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADG):**

Symbol (fish and tree)

· **Special precautions for user**

Warning: Corrosive substances.

· **Hazard identification number (Kemler code):**

80

· **EMS Number:**

F-A,S-B

· **Segregation groups**

(SGG18) Alkalies

· **Stowage Category**

A

· **Segregation Code**

SG35 Stow "separated from" SGG1-acids

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **ADG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

E

· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

## according to WHS Regulations

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

Trade name: 8320-Part B

· **UN "Model Regulation":**

(Contd. of page 7)  
 UN 2735 AMINES, LIQUID, CORROSIVE,  
 N.O.S. (TRIETHYLENETETRAMINE, FATTY  
 ACIDS, C18-UNSATD., DIMERS,  
 REACTION PRODUCTS WITH  
 POLYETHYLENEPOLYAMINES), 8, II,  
 ENVIRONMENTALLY HAZARDOUS

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Australian Inventory of Industrial Chemicals**

All ingredients are listed.

- **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

- **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labelling:**

fatty acids, C18-unsatd., dimers, reactionproducts with polyethylenepolyamines (92 %)  
 3,6-diazaoctanethylenediamin (8 %)

- **Hazard statements**

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

- **Precautionary statements**

Keep out of reach of children.

Do not breathe dusts or mists.

Wear protective gloves / eye protection / face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category** E2 Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

— AU —

(Contd. on page 9)

**according to WHS Regulations**

Printing date 07.02.2024

Version number 3

Revision: 07.02.2024

**Trade name: 8320-Part B**

(Contd. of page 8)

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**

*H312 Harmful in contact with skin.*

*H314 Causes severe skin burns and eye damage.*

*H315 Causes skin irritation.*

*H317 May cause an allergic skin reaction.*

*H318 Causes serious eye damage.*

- **Department issuing SDS:** Product safety department.

- **Contact:** sds@mgchemicals.com

- **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Corr. 1B: Skin corrosion/irritation – Category 1B*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

- **\* Data compared to the previous version altered.**

— AU —