

Kit Revision Date: 14/09/2021

834HTC HIGH THERMAL CONDUCTIVITY EPOXY KIT

MG Chemicals Multipart Product Kit

This product is a kit made up of multiple parts. Each part is an independently packaged chemical component and has independent hazard assessments.

Kit Content

Part	Product Name	Product Use
Α	834HTC-A	Epoxy resin for use with hardeners
В	834HTC-B	Epoxy hardeners for use with resins

Safety Data Sheets for each part listed above follow this cover sheet.

Transportation Instruction

Before offering this product kit for transport, read Section 14 for <u>all</u> parts listed above.



Page 1/10

Revision: 11.01.2024

according to 1907/2006/EC, Article 31

Printing date 11.01.2024

Version number 1

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 834HTC-Part A
- · Other Means of Identification: High Thermal Conductivity Epoxy (Part A)
- · Related Part Number:

834HTC-A, 834HTC-900ML, 834HTC-4.25L, 834HTC-45L, 834HTC-108L

- · **UFI:** R5J0-30PJ-H002-QE0A
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not available
- · Application of the substance / the mixture Epoxy resin for use with hardeners
- · 1.3 Details of the supplier of the safety data sheet M.G. Chemicals Ltd.
- Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772

MG Chemicals Heame House, 23 Bliston Street Sedgely Dudley DY3 1JA. UNITED KINGDOM +(44) 1663 362888 sales@mgchemicals.com

MG Chemicalst Ltd. Level 2, Vision Exchange, Building Territorials Street, Zone 1, Central Business, District, Birkirkara CBD 1070, MALTA

- · Further information obtainable from: sds@mgchemicals.com
- · 1.4 Emergency telephone number:

Verisk 3E (Access code: 335388), +(44) 20 3514787 Other emergency telephone numbers: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2

H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 2)


Printing date 11.01.2024

Version number 1

Trade name: 834HTC-Part A

(Contd. of page 1)

Revision: 11.01.2024



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms







GHS07 GHS08 GHS09

· Signal word Warning

· Hazard-determining components of labelling:

1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/

hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Additional information:

Contains 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane, reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700), oxirane, mono[(C12-14-alkyloxy)methyl] derivs. May produce an allergic reaction.

· 2.3 Other hazards

Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· vPvB: Not applicable.

(Contd. on page 3)

Version number 1 Printing date 11.01.2024 Revision: 11.01.2024

Trade name: 834HTC-Part A

(Contd. of page 2)

Determination of endocrine-disrupting properties

Endocrine Disruptor substance ≥ 0.1% = none

3 Composition/information on ingredients

· 3.2 Mixtures

NLP: 500-033-5

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 70969-70-9 2-ethylhexyl 3,5,5-trimethylhexanoate 33.0%

& STOT RE 2. H373

CAS: 17557-23-2 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane 7.0%

EINECS: 241-536-7 (1) Skin Irrit. 2, H315; Skin Sens. 1, H317

CAS: 25068-38-6

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin 1.0% (number average molecular weight ≤ 700)

🕸 Aguatic Chronic 2, H411; 🕚 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205

Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %

CAS: 1333-86-4 Carbon black

EINECS: 215-609-9 🚳 Self-heat. 1, H251; 🕸 Carc. 2, H351; STOT RE 1, H372

CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs 0.3%

EINECS: 271-846-8 Skin Irrit. 2, H315; Skin Sens. 1, H317

Non-hazardous components and components below classification threshold

CAS: 21645-51-2 aluminium hydroxide

EINECS: 244-492-7

CAS: 1344-28-1 aluminium oxide 17.0%

40.0%

0.4%

EINECS: 215-691-6

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part A

(Contd. of page 3)

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1333-86-4 Carbon black

WEL Short-term value: 7 mg/m³ Long-term value: 3.5 mg/m³

(Contd. on page 5)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part A

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state

Fluid

· Colour:

Black

· Odour:

Characteristic

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and

150 ℃

boiling range

Not applicable.

· Flammability · Lower and upper explosion limit

· Lower:

Not determined.

Upper:

Not determined.

(Contd. on page 6)

Version number 1 Printing date 11.01.2024 Revision: 11.01.2024

Trade name: 834HTC-Part A

(Contd. of page 5)

· Flash point: 250 °C 315 ℃ Auto-ignition temperature:

Decomposition temperature: Not determined. Not determined. · pH

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

water: Fully miscible.

· Partition coefficient n-octanol/water (log

Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

Density at 20 °C: 1.86 g/cm³ · Relative density Not determined. · Vapour density Not determined.

9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· VOC (EC) 0.00 % · Solids content: 58.7 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part A

(Contd. of page 6)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

1333-86-4 Carbon black

Oral LD50 10,000 mg/kg (rat)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Suspected of damaging fertility or the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

GB

Printing date 11.01.2024

Version number 1

Trade name: 834HTC-Part A

(Contd. of page 7)

Revision: 11.01.2024

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity HP14 Ecotoxic

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

· 14.2 UN proper shipping name

· ADR NOT REGULATED by Ground ADR Special

UN3082

Provision 375 for sizes 5L or less.

3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S.

· IMDG NOT REGULATED by Sea IMDG per 2.10.2.7

for sizes 5L or less.

ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S.

· IATA NOT REGULATED by Air IATA Special

Provision A197 for sizes 5L or less.

Environmentally hazardous substance, liquid,

n.o.s.

- · 14.3 Transport hazard class(es)
- · ADR, IATA



· Class 9 Miscellaneous dangerous substances and

articles.

· **Label** 9

· IMDG



· Class 9 Miscellaneous dangerous substances and

articles.

· Label

· 14.4 Packing group

· ADR, IMDG, IATA

14.5 Environmental hazards:

Special marking (ADR):

III

Symbol (fish and tree)

(Contd. on page 9)

Printing date 11.01.2024

Version number 1

(Contd. of page 8)

Revision: 11.01.2024

Trade name: 834HTC-Part A

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances

and articles.

· Hazard identification number (Kemler

code):

90

EMS Number:

F-A.S-F

· Stowage Category

· 14.7 Maritime transport in bulk according

to IMO instruments

Not applicable.

Transport/Additional information:

· ADR

· Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging:

1000 ml

· Transport category · Tunnel restriction code 3 (-)

· IMDG

· Limited quantities (LQ)

5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging:

1000 ml

UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. 9, III

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

(Contd. on page 10)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part A

(Contd. of page 9)

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H251 Self-heating: may catch fire.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

· Department issuing SDS: Product safety department.

· Contact: sds@mgchemicals.com

Date of previous version: 11.01.2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Self-heat. 1: Self-heating substances and mixtures - Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.



Page 1/11

Revision: 11.01.2024

according to 1907/2006/EC, Article 31

Printing date 11.01.2024

Version number 1

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: 834HTC-Part B
- · Other Means of Identification: High Thermal Conductivity Epoxy (Part B)
- Related Part Number:

834HTC-B, 834HTC-B-900ML, 834HTC-B-4.25L, 834HTC-B-45L, 834HTC-B-108L

- · UFI: 28J0-M0CX-T00J-CRKD
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not available
- · Application of the substance / the mixture Epoxy hardener for use with resins
- · 1.3 Details of the supplier of the safety data sheet M.G. Chemicals Ltd.
- Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772

MG Chemicals
Heame House, 23 Bliston Street
Sedgely Dudley DY3 1JA.
UNITED KINGDOM
+(44) 1663 362888 sales@mgchemicals.com

MG Chemicalst Ltd. Level 2, Vision Exchange, Building Territorials Street, Zone 1, Central Business, District, Birkirkara CBD 1070, MALTA

- · Further information obtainable from: sds@mgchemicals.com
- · 1.4 Emergency telephone number:

Verisk 3E (Access code: 335388), +(44) 20 3514787 Other emergency telephone numbers: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3

H311 Toxic in contact with skin.

(Contd. on page 2)

Printing date 11.01.2024

Version number 1

Trade name: 834HTC-Part B

(Contd. of page 1)

Revision: 11.01.2024



GHS08 health hazard

STOT RE 2

H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Skin Corr. 1A

H314 Causes severe skin burns and eye damage.

Eye Dam. 1

H318 Causes serious eye damage.



GHS07

Acute Tox. 4

H302 Harmful if swallowed.

Acute Tox. 4

H332 Harmful if inhaled.

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms







GHS05 GHS06 GHS08

· Signal word Danger

Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

2,2'-dimethyl-4,4'methylenebis(cyclohexylamine)

· Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects. H412

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

Specific treatment (see on this label). P321

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

(Contd. on page 3)

24.0%

according to 1907/2006/EC, Article 31

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 2)

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- PBT: Not applicable.vPvB: Not applicable.
- Determination of endocrine-disrupting properties

Endocrine Disruptor substance ≥ 0.1% = none

3 Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine 64.0%

EINECS: 220-666-8 Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4,

H302; Skin Sens. 1A, H317 ATE: LD50 oral: 1,030 mg/kg

Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %

CAS: 6864-37-5 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine)

EINECS: 229-962-1 Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1A,

H314; (1) Aquatic Chronic 2, H411; (1) Acute Tox. 4, H302

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 3)

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)

Version number 1 Revision: 11.01.2024 Printing date 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information

· Physical state

Clear

Colour:

Fluid

· Odour:

Characteristic

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and

116 ℃

boiling range

Not applicable.

· Flammability

· Lower and upper explosion limit

· Lower:

0.5 Vol % (6864-37-5 2,2'-dimethyl-4.4'methylenebis(cyclohexylamine))

· Upper:

2.8 Vol % (6864-37-5 2,2'-dimethyl-

4,4'methylenebis(cyclohexylamine))

100 ℃

· Flash point: · Auto-ignition temperature:

275 °C (6864-37-5 2,2'-dimethyl-

4,4'methylenebis(cyclohexylamine))

Decomposition temperature:

Not determined.

(Contd. on page 6)

Version number 1 Printing date 11.01.2024 Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 5) Not determined.

· pH

· Viscosity:

Kinematic viscosity

· Dynamic:

Solubility

water: · Partition coefficient n-octanol/water (log

value) · Vapour pressure at 30 ℃:

Not determined.

Fully miscible.

Not determined.

Not determined.

0 hPa (6864-37-5 2,2'-dimethyl-

4,4'methylenebis(cyclohexylamine))

· Density and/or relative density

Density at 20 °C: 0.94 g/cm3 · Relative density Not determined. · Bulk density: 897 kg/m³ · Vapour density Not determined.

· 9.2 Other information

· Appearance:

Form: Fluid

· Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Solvent content:

· VOC (EC) 0.00 % · Solids content: 12.0 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void

Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 6)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed or if inhaled.

Toxic in contact with skin.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 729-875 mg/kg

Dermal LD50 833-1,667 mg/kg (rabbit)

Inhalative LC50/4 h 1.75 mg/l (rat)

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1,030 mg/kg (ATE)

6864-37-5 2,2'-dimethyl-4,4'methylenebis(cyclohexylamine)

Oral LD50 320-460 mg/kg (rat)

Dermal LD50 200-400 mg/kg (rabbit)

Inhalative LC50/4 h 0.42 mg/l (rat)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 7)

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

13 Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP6 Acute Toxicity

HP8 Corrosive

HP13 Sensitising

HP14 Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA
- · 14.2 UN proper shipping name

· ADR

2922 CORROSIVE LIQUID, TOXIC, N.O.S. (2,2'-dimethyl-4,4'methylenebis(cyclo-

hexylamine), ISOPHORONEDIAMINE)
• IMDG CORROSIVE LIQUID. TOXIC. N.O.S. (2.2'-

UN2922

dimethyl-4,4'methylenebis(cyclohexylamine),

ISOPHORONEDIAMINE)

Corrosive liquid, toxic, n.o.s. (2,2'-dimethyl-4,4'methylenebis(cyclohexylamine),

ISOPHORONEDIAMINE)

- 14.3 Transport hazard class(es)
- · ADR

· IATA





· Class 8 Corrosive substances.

(Contd. on page 9)

Printing date 11.01.2024

Version number 1

Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 8) · Label 8+6.1

· IMDG



· Class 8 Corrosive substances.

· Label 8/6.1

·IATA



· Class 8 Corrosive substances.

· Label 8 (6.1)

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler

code):

· EMS Number: F-A,S-B

· Stowage Category

· Stowage Code SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according

to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

ml

Transport category 2 Ε · Tunnel restriction code

· IMDG

· Limited quantities (LQ) 1L

Code: E2 Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

UN "Model Regulation": UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S.

(2,2'-DIMETHYL-

4,4'METHYLENEBIS(CYCLOHEXYLAMINE),

ISOPHORONEDIAMINE), 8 (6.1), II

(Contd. on page 10)

Printing date 11.01.2024 Version number 1 Revision: 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 9)

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety department.
- Contact: sds@mgchemicals.com
- · Date of previous version: 11.01.2024

(Contd. on page 11)

Version number 1 Printing date 11.01.2024

Trade name: 834HTC-Part B

(Contd. of page 10)

Revision: 11.01.2024

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.