

Page 1/9

### according to WHS Regulations

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

### 1 Identification

- · Product identifier
- Trade name: 832C-A
- · Other Means of Identification: Translucent Epoxy Encapsulating and Potting Compound
- Related Part Number: 832C-A, 832C-A-375ML, 832C-A-375MLCA, 832C-A-450ML, 832C-A-3L, 832C-A-60L • Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Epoxy resin for use with hardeners
- · Uses advised against Not for use as a spray coating
- Details of the supplier of the safety data sheet M.G. Chemicals Ltd. • Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772

Mektronics Australia Pty Ltd 5 Prince William Drive Seven Hills NSW 2147 Australia www.mektronics.com.au sales@mektronics.com.au

• Further information obtainable from: sds@mgchemicals.com

• Emergency telephone number: CHEMTREC Australia: + (61) 2-9037-2994 Other emergency telephone number: +(1) 703-527-3887

# 2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Irrit. 2H315 Causes skin irritation.Serious eye damage/irritation – Category 2A H319 Causes serious eye irritation.Skin Sens. 1H317 May cause an allergic skin reaction.

### · Label elements

• **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

#### . ..

Printing date 07.02.2024	Version number 6	Revision: 07.02.2024
Trade name: 832C-A		
· Hazard pictograms		(Contd. of page 1)
$\wedge$		
!		
$\sim$		
GHS07		
· Signal word Warning		
oxirane, mono[(C12-14-alky Hazard statements Causes skin irritation. Causes serious eye irritatior May cause an allergic skin r Precautionary statements Keep out of reach of childred Avoid breathing dust/fume/g Wear protective gloves/prote IF IN EYES: Rinse cautiou present and easy to do. Cor If skin irritation or rash occur If eye irritation persists: Get	dene)bis(4,1-phenyleneoxymethyler loxy)methyl] derivs (11%) n. eaction. ns/mist/vapours/spray. ective clothing/eye protection/face p isly with water for several minute tinue rinsing. rs: Get medical advice/attention.	protection. es. Remove contact lenses, it
· Other hazards		
	assessment	

· Dangerous components:

25085-99-8 oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-,89% homopolymer

(1) Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; Skin Sens. 1B, H317

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

11%

Skin Irrit. 2, H315; Skin Sens. 1, H317
 Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4 First Aid Measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

#### Trade name: 832C-A

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

# 5 Fire Fighting Measures

- Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture
- Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.
- · Protective equipment: No special measures required.

# 6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# 7 Handling and Storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data: see section 7.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

(Contd. of page 2)

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

(Contd. of page 3)

#### Trade name: 832C-A

#### · Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. • **Protection of hands:** 



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

### 9 Physical and Chemical Properties

· General Information	
· Appearance:	
· Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	150 ℃
Flash point:	142 °C
Flammability (solid, gas):	Not applicable.
Auto-ignition temperature:	235 °C
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	(Contd. on page 5)
	AU

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

	(Contd. of page 4)
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.13 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	1,800 mm²/s
Solvent content:	
VOC (EC)	0.00 %
Solids content:	0.0 %
Other information	No further relevant information available.

### 10 Stability and Reactivity

· Reactivity No further relevant information available.

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

је б) — Ан

Printing date 07.02.2024

### Version number 6

Revision: 07.02.2024

(Contd. of page 5)

#### Trade name: 832C-A

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Waste treatment methods

#### - Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

### 14 Transport information

<ul> <li>ADG</li> <li>NOT REGULATED by Ground ADR Special Provision 375 for sizes 5L or less. 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxirane,2.2'-[(1-m et h y l e t h y l i d e n e ) b is (4, 1 - phenyleneoxymethylene)]bis-, homopolymer)</li> <li>IMDG</li> <li>IMDG</li> <li>IMDG</li> <li>IMTA</li> <li>IATA</li> <li>IATA</li> <li>ITransport hazard class(es)</li> <li>ADG, IMDG, IATA</li> <li>Label</li> <li>9 Miscellaneous dangerous substances and articles.</li> <li>9</li> </ul>	· UN-Number · ADG, IMDG, IATA	UN3082
<ul> <li>SUBSTANCE, LIQUID, N.O.S. (oxirane,2,2'-[(1-m e t h y l e t h y l i d e n e) b i s (4, 1 - phenyleneoxymethylene)]bis-, homopolymer), MARINE POLLUTANT</li> <li>IATA</li> <li>NOT REGULATED by Air IATA Special Provision A197 for sizes 5L or less. Environmentally hazardous substance, liquid, n.o.s. (oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer)</li> <li>Transport hazard class(es)</li> <li>ADG, IMDG, IATA</li> <li>Image: Class</li> <li>Label</li> <li>9 Miscellaneous dangerous substances and articles.</li> <li>9</li> </ul>		3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxirane,2,2'-[(1- m e t h y l e t h y l i d e n e ) b i s (4, 1 - phenyleneoxymethylene)]bis-, homopolymer) NOT REGULATED by Sea IMDG according to 2.10.2.7 for sizes of 5L or less.
<ul> <li>ADG, IMDG, IATA</li> <li>ADG, IMDG, I</li></ul>	·IATA	SUBSTANCE, LIQUID, N.O.S. (oxirane,2,2'-[(1- m e t h y l e t h y l i d e n e) b i s (4, 1 - phenyleneoxymethylene)]bis-, homopolymer), MARINE POLLUTANT NOT REGULATED by Air IATA Special Provision A197 for sizes 5L or less. Environmentally hazardous substance, liquid, n.o.s. (oxirane,2,2'-[(1-methylethylidene)bis(4,1-
<ul> <li>Class</li> <li>Class</li> <li>Label</li> <li>9 Miscellaneous dangerous substances and articles.</li> <li>9</li> </ul>	· Transport hazard class(es)	
• Label 9	· ADG, IMDG, IATA	
• Label 9		
(Contd. on page /)	· Label	9 (Contd. on page 7)

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

	(Contd. of page 6)
· Packing group	
· ADG, IMDG, IATA	<i>III</i>
· Environmental hazards:	Cumple of (fight and two of)
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADG):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
<ul> <li>Special precautions for user</li> </ul>	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Komler	and anticles.
Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
• Transport in bulk according to Annex II	
Marpol and the IBC Code	Not applicable.
•	
· Transport/Additional information:	
· ADG	
<ul> <li>Limited quantities (LQ)</li> </ul>	5L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1
	Maximum net quantity per inner packaging: 30
	ml
	Maximum net quantity per outer packaging:
	1000 ml
· Transport category	3
Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (ÉQ)	Code: E1
	Maximum net quantity per inner packaging: 30
	ml
	Maximum net quantity per outer packaging:
	1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (OXIRANE,2,2'-
	[(1-METHYLETHYLIDENE)BIS(4,1-
	PHENYLENEOXYMETHYLENE)]BIS-,
	HOMOPOLYMER), 9, III

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Australian Inventory of Industrial Chemicals
- All ingredients are listed.
- Standard for the Uniform Scheduling of Medicines and Poisons
- None of the ingredients is listed.
- · Australia: Priority Existing Chemicals
- None of the ingredients is listed.
- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 8)

<sup>—</sup> AU

according to WHS Regulations Printing date 07.02.2024 Version number 6 Revision: 07.02.2024 Trade name: 832C-A (Contd. of page 7) Hazard pictograms GHS07 · Signal word Warning - Hazard-determining components of labelling: oxirane,2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer (89 %) oxirane, mono[(C12-14-alkyloxy)methyl] derivs (11 %) Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category E2 Hazardous to the Aquatic Environment • Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. · Department issuing SDS: Product safety department. · Contact: sds@machemicals.com Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

(Contd. on page 9)

Printing date 07.02.2024

Version number 6

Revision: 07.02.2024

Trade name: 832C-A

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B • \* **Data compared to the previous version altered.** 

(Contd. of page 8)

AU