

Material Safety Data Sheet

Revision Date Prepared by Technical Information

November 9, 2010 Patti Rogers 1-800-201-8822 or <u>support@mgchemicals.com</u>

Head Office Emergency

9347 - 193 Street, Surrey, B.C., V4N 4E7 Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

Section 1: Product Identification

MSDS Code: 4101 Name: Sodium Persulphate

Related Part Numbers: 4101-1KG; 4101-25KG

Use: For etching printed circuits.

Section 2: Hazardous Ingredients

CAS# Chemical Name Percentage by weight ACGI H TWA Osha Pel Osha Stel
7775-27-1 Sodium persulphate >99% N/e N/e N/e

Section 3: Hazards Identification

WHMIS Codes: C, E

NFPA Ratings: Health 2 Flammability 0 Reactivity 2
HMIS Ratings: Health 2 Flammability 0 Physical Hazard 2

Eyes: Causes eye irritation.

Skin: May cause skin irritation.

Inhalation: Causes respiratory tract irritation.

Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

Chronic: No information found.

Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water. Get medical aid if irritation occurs or persist.

Skin: Wash skin with soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical aid.

Ingestion: Do not induce vomiting. Rinse mouth with water. If conscious, give 1-2 glasses of water. Get doctor

immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire Fighting Measures

Autoignition
Temperature:

Flash Point: N/a

LEL / UEL: N/a

Extinguishing

Media: Deluge with water.

General Oxidizer. Greatly increases the burning rate of combustible materials. This material in sufficient

Information: quantity and reduced particle size is capable of creating a dust explosion.



Section 6: Accidental Release Measures

Spill Sweep dry material into a plastic container. Provide adequate ventilation. For diluted material, sprinkle Procedure: absorbent compound onto spill, then sweep into a plastic container. Wipe up further residue with paper

towel and place into container. Wash spill area with soap and water.

Section 7: Handling and Storage

Handling: Use eye, skin and clothing protection. Do not ingest or inhale. Do not expose container to heat. Diluted

product must be stored in a vented container as it will gas off and create pressure in a sealed container.

Storage: Store in a cool, dry, well-ventilated area, away from incompatible substances.

Section 8: Exposure Controls

Routes of Eyes, ingestion, inhalation, and skin.

entry:

Ventilation:

Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

Personal Wear appropriate protective eyeglasses or chemical safety goggles. Wear rubber or neoprene Protection: protective clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

Section 9: Physical and Chemical Properties

Evaporation N/a White Odor: None 73% **Physical** Solubility:

State: crystals @25°C Rate:

Boiling Vapor Density: N/a **pH**: 5-7 N/a Specific 2.4 N/a Vapor Point: Gravity: Pressure: @25°C

Section 10: Stability and Reactivity

Stability: Stable (becomes unstable in presence of heat, moisture and/or contamination.

Conditions to

avoid:

Heat, moisture and contamination.

Acids, alkalis, halides (fluorides, chlorides, bromides and iodides), combustible materials, most

metals and heavy metals, oxidizable materials and other oxidizers, reducing agents, cleaners, Incompatibilities:

and organic or carbon containing compounds. Contact with incompatible materials can result in

a material decomposition or other uncontrolled reactions.

Polymerization: Will not occur.

Decomposition: Oxygen that supports combustion and oxides of sulfur.

Section 11: Toxicological Information

Sensitization: (effects of repeated May cause skin sensitization, an allergic reaction, which becomes

evident upon re-exposure to this material. exposure)

Carcinogenicity: (risk of cancer) Teratogenicity: (risk of malformation in No

an unborn fetus)

Reproductive Toxicity: (risk of sterility) No Mutangenicity: (risk of heritable genetic Nο

effects)

Inhalation 5.1/L Lethal Exposure Ingestion 895 mg/kg Skin 10g/kg Concentrations: (LD50): (rat) (LC50): (Rat) (LD50):

> **PAGE 2 / 4** MSDS Code: 4101



Section 12: Ecological Information

General Avoid runoff into storms and sewers, which lead into waterways. Water runoff can cause

Information: environmental damage.

Environmental Impact Data: (percentage by weight)

CFC: 0 **HFC**: 0 **CI.Solv**: 0 **VOC**: 0 **HCFC**: 0 **ODP**: 0

Section 13: Disposal Information

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

Information: can cause environmental damage.

Section 14: Transportation Information

Ground Canada: (1 KG and smaller)

Classified as Consumer Commodity.

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations). Recommend Shipper

be trained and certified.

Ground USA: (1 KG and smaller)

Classified as ORM-D. Refer to USA CFR 49 Regulations.

Recommend Shipper be trained and certified.

Ground Canada and USA: (sizes over 1 KG)

Shipper must be trained and certified. Refer to CFR 49 (USA), and TDG Regulations (Canada).

Shipping Name: Sodium Persulphate, UN number: 1505, Class: 5.1, Packing Group: III.

Hazard label required – Oxidizer.

Air: (1 KG size)

Shipper must be trained and certified. Refer to IATA Dangerous Goods Regulations.

Quantity limitations on air transport.

Shipping Name: Sodium Persulphate, UN number: 1505, Class: 5.1, Packing Group: III.

Refer to Packing Instruction: Y516 for gross weight quantity limits.

Air: (25 KG size)

Prohibited for transport by air.

Sea:

Shipper must be trained and certified. Refer to IMDG regulations.

Shipping Name: Sodium Persulphate, UN number: 1505, Class: 5.1, Packing Group: III.

Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1-ozone depletors.

This product does not contain any class 2-ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

PAGE 3 / 4 MSDS Code: 4101



California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

Health Canada

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

Environment Canada

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

This product does not contain any ozone depleting substances.

Industry and Science Canada

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.

RoHS (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

Section 16: Other Information

Definitions: N/a = not applicable, n/e = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.

> **PAGE 4 / 4** MSDS Code: 4101