

# **Material Safety Data Sheet**

Revision Date Prepared by Technical Information

November 9, 2010 Patti Rogers 1-800-201-8822 or support@mgchemicals.com

Head Office Emergency

9347 - 193 Street, Surrey, B.C., V4N 4E7 Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

## **Section 1: Product Identification**

MSDS Code: 827B - liquid Name: Heavy Duty Cleaner Degreaser

Related Part Numbers: 827B-1L; 827B-4L; 827B-20L

Use: Cleaning and degreaser for electronics.

# Section 2: Hazardous Ingredients

CAS#	Chemical Name	Percentage by weight	<b>ACGIH TWA</b>	Osha Pel	Osha Stel
67-63-0	2-propanol	5 - 20	400ppm	400ppm	500ppm
141-78-6	Ethyl acetate	40 - 70	400ppm	400ppm	N/e
67-64-1	2-propanone	10 - 40	750ppm	1000ppm	1000ppm

## **Section 3: Hazards Identification**

WHMIS Codes: B2, D2B

NFPA Ratings: Health 1 Flammability 3 Reactivity 0 HMIS Ratings: Health 1 Flammability 3 Reactivity 0

**Eyes:** Liquid in contact with the eyes may cause permanent eye damage.

**Skin:** May cause skin irritation and possible pain and stinging if the skin is abraded.

Inhalation: Solvents may cause respiratory tract irritation, liver and kidney damage, and adverse central nervous

system effects.

Ingestion: May cause respiratory and digestive tract irritation. May cause kidney damage, liver damage, and

central nervous system depression.

Chronic: Prolonged or repeated exposure may cause dermatitis and defatting of the skin.

## Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid.

Skin: Wash skin with large quantities of soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical aid.

Ingestion: Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid.

#### Section 5: Fire Fighting Measures

Autoignition Temperature: 465°C Flash Point: -20°C LEL / UEL: 2 / 13

**Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or chemical foam.

Will burn if involved in a fire. Containers may explode in the heat of a fire. Vapors may

General Information: form an explosive mixture with air. Vapors can travel to source of ignition and flash

ack.



## Section 6: Accidental Release Measures

**Spill** Remove all sources of ignition. Provide adequate ventilation. Wear appropriate personal protection. **Procedure:** Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further

residue with paper towel and place in container. Wash spill area with soap and water.

## Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well-ventilated area, away from incompatible

substances.

## **Section 8: Exposure Controls**

Routes of entry: Eyes, ingestion, inhalation, and skin.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

limits

**Personal** Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

**Protection:** clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

# Section 9: Physical and Chemical Properties

Physical Liquid Odor: Ethereal Solubility: Partial Evaporation N/a

State: Rate:

Point: Gravity: Pressure: @25°C Density: (Air=1)

### Section 10: Stability and Reactivity

**Stability:** Stable at normal temperatures and pressures.

Conditions to

Temperatures over 40°C, ignition sources, and incompatible substances.

Incompatibilities: Strong oxidizers, alkali metals and their hydroxides, liquid oxygen, strong bases, caustics,

mineral acids, amines and ammonia, halogens.

**Polymerization:** Has not been reported.

**Decomposition:** Carbon monoxide, carbon dioxide, acrid smoke and fumes.

### Section 11: Toxicological Information

Sensitization: (effects of repeated exposure) Repeated skin contact may cause dermatitis.

Carcinogenicity: (risk of cancer)

No

Teratogenicity: (risk of malformation in an unborn fetus)

No

Reproductive Toxicity: (risk of sterility)

No

Mutangenicity: (risk of heritable genetic effects)

No

 Lethal Exposure
 Ingestion
 16,445 mg /
 Inhalation
 48000ppm 4H
 Skin
 25030 

 Concentrations:
 (LD50):
 kg (mouse)
 (LC50):
 (rat)
 (LD50):
 27900

mg/kg



# Section 12: Ecological Information

General Avoid runoff into storms and sewers, which lead into waterways. Water runoff can cause

**Information:** environmental damage.

**Environmental Impact Data:** (percentage by weight)

**CFC**: 0 **HFC**: 0 **CI.Solv**: 0 **VOC**: 100 **HCFC**: 0 **ODP**: 0

# **Section 13: Disposal Information**

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

**Information:** can cause environmental damage.

## **Section 14: Transportation Information**

Canada/USA: Ground (all sizes 1 liter or less)

Classified as Consumer Commodity/ORM-D.

Canada/USA: Ground (all sizes larger than 1 liter)

Shipping Name: FLAMMABLE LIQUID, N.O.S., UN number: 1993, Class: 3, Packing Group: II, Flash Point: -12°C. Shipper must be trained and certified. Refer to TDG regulations (Canada), Refer to CFR 49 regulations (USA).

International: Air

Shipper must be trained and certified. Refer to IATA Dangerous Goods Regulations.

Shipping Name: **FLAMMABLE LIQUID, N.O.S.**, UN number: **1993**, Class: **3**, Packing Group: **II**, Flash Point: - 12°C. Subsidiary Risk – nil, Recommend using original MG Chemicals certified outer cartons. Tape all seams on the carton. Hazard Label required – Flammable Liquid. A double arrow orientation label is required and is already printed on the original outer carton.

International: Sea

Shipper must be trained and certified. Refer to IMDG regulations.

Shipping Name: **FLAMMABLE LIQUID, N.O.S.**, UN number: **1993**, Class: **3**, Packing Group: **11**, Flash Point: - 12°C. Storage category "A", segregation as for class 9 but away from sources of heat and separated from goods of class 1 except for those in division 1.4.

## Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1-ozone depletors.

This product does not contain any class 2-ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

#### **Health Canada**

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

PAGE 3 / 4 MSDS Code: 827B - Liquid



#### **Environment Canada**

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

This product does not contain any ozone depleting substances.

#### **Industry and Science Canada**

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.

**RoHS** (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

# **Section 16: Other Information**

**Definitions:** N/a = not applicable, n/e = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the

information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in

accordance with federal, state, and local regulations.

PAGE 4 / 4 MSDS Code: 827B - Liquid