

SAI Global File #004008 Surlington, Ontario, Canada

Burlington, Ontario, Canada
SUPER DUSTERTM HFO-1234ZE

402C

Safety Data Sheet

Section 1: Identification

Product Identifier and Other Means of Identification

Product Name: 402C

Other means of identification: Super Duster™ HFO-1234ZE

Related Part # 402C-235G

Recommended Use and Restriction on Use

Use: Electronics duster

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer

MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

+1-800-340-0772 FAX +1-800-340-0773 E-MAIL support@mgchemicals.com WEB www.mgchemicals.com MG Chemicals (Head Office)

9347-193 Street

Surrey, British Columbia V4N 4E7

CANADA

+1-905-331-1396 FAX +1-905-331-2682 E-MAIL info@mgchemicals.com

E-MAIL (Competent Person): sds@mgchemicals.com

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at **+1-613-996-6666** or ***666** on cellular phones



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Section 2: Hazard(s) Identification

Classification of Hazardous Chemical

GHS Categories

Criteria	Category	Signal Word	Pictograms	
Gas Under Pressure	Liquefied Gas	Warning	Gas Cylinder	

Note: The degree of severity is ranked within each hazard class from

1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

Label Elements

Signal Word	WARNING
Pictograms	Hazard Statements
	H280: Contains gas under pressure; may explode if heated
Prevention	Precautionary Statements
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, flames, and other ignition sources. No Smoking.
P251	Do not pierce or burn, even after use.
	HOLD CAN UPRIGHT to avoid ejection of liquid stream during use.
Storage	Precautionary Statements
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C [122 °F].

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
Simple Asphyxiants	May displace oxygen and cause rapid suffocation.	Warning	none
Frostbite	The jet or liquid may cause frostbite in contact with skin or eyes.	Warning	none
Inhalation overexposure	Inhalation overexposure following an intentional abuse or use in confined space may cause cardiac or central nervous systems effects	none	none

Section 3: Composition/Information on Ingredients

CAS #	Chemical Name	%(weight)
29118-24-9	trans-1,3,3,3-tetrafluoroprop-1-ene a)	100%

a) Also known as HFO-1234ze

Section 4: First-Aid Measures

Exposure Condition	GHS Code/Symptoms/Precautionary Statements	
IF INHALED	P304 + P340, P312	
Immediate Symptoms	low toxicity: for severe overexposure can cause dizziness and drowsiness	
Response	Remove person to fresh air and keep comfortable for breathing.	
	If you feel unwell: Call a POISON CENTRE/doctor.	
IF IN EYES	P305 + P351 + P338, P336 + P315	
Immediate Symptoms	frostbite, cold burns	
Response	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	If frostbite occurs: Thaw frosted parts with lukewarm water. Do not use hot water. Do not rub affected area. Get immediate medical attention.	

Section continued on the next page

Page **3** of **13**



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

IF ON SKIN	P302 + P352, P336 + P315	
Immediate Symptoms	frostbite, cold burns	
Response	IF ON SKIN: Wash with plenty of water.	
	If frostbite occurs: Thaw frosted parts with lukewarm water. Do not use hot water. Do not rub affected area. Get immediate medical attention.	
IF SWALLOWED	P301 + P330, P336 + P315	
IF SWALLOWED Immediate Symptoms	P301 + P330, P336 + P315 frostbite (mouth)	
	,	

Medical Advice

Avoid giving catecholoamine drugs (such as epinephrine) due to possible cardiac disturbance. Treat symptomatically.

Section 5: Fire-Fighting Measures

Extinguishing Media	In case of fire: Use extinguishing media suitable for surrounding materials.
	Use water spray to cool containers.
Specific Hazards	Aerosols containers may erupt with force at temperatures above 50 °C [122 °F].
	Produces irritating and toxic fumes in fires or in contact with hot surfaces.
	The vapors are heavier than air and may displace oxygen in low-lying areas creating a suffocation hazard.
Combustion Products	Produces carbon oxides (CO,CO $_2$), halogenated compounds, and hydrogen fluorides.
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

Page **4** of **13**



SAI Global File #004008 Burlington, Ontario, Canada

402C

Super DusterTM HFO-1234ZE

Section 6: Accidental Release Measures

Personal Protection See personal protection recommendations in Section 8.

> For very large spills, wear self-contained breathing apparatus before approaching the spill. Wear cold-insulating clothing and

gloves.

Precautions for Response

For aerosol can spills in confined or low lying space, leave the

immediate spill area.

If it can safely be done, extinguish open flames or remove high temperature sources to avoid producing toxic decomposition

products.

Environmental Precautions

Not required under normal use.

Containment Methods Not applicable

Cleaning Methods For aerosol can spills at room temperature, the product turns

gaseous and disperses in atmosphere. Ensure adequate

ventilation, especially in low or enclosed areas.

Disposal Methods Dispose of spill waste according to Section 13.

Section 7: Handling and Storage

Prevention Keep out of reach of children.

Avoid direct skin or eye contact with liquid or aerosol jet.

Avoid breathing gas or spray. In cases of inadequate ventilation wear

respiratory protection.

Do not pierce or burn, even after use.

Handling Wear cold-insulating gloves if exposure to liquid or aerosol jet is likely.

Wear eye protection.

HOLD CAN UPRIGHT to avoid ejection of liquid stream during use. Do NOT spray when container is more than 45 degrees off vertical or inverted.

Storage Protect from sunlight. Do not expose to temperatures exceeding

50 °C [122 °F].



402C

ISO 9001:2015 Quality Management System

SAI Global File #004008 Burlington, Ontario, Canada

Super DusterTM HFO-1234ZE

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country/ Provinces	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
trans-1,3,3,3- tetrafluoroprop-1-ene	MG Chemicals a) ACGIH U.S.A. OSHA PEL USA AIHA WEEL Canada	800 ppm Not established Not established 800 ppm Not established	Not established Not established Not established Not established Not established

Note: The ACGIH¹, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from by RTECS database² and from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) MG Chemicals recommended limit corresponding to prevalent international threshold values

Engineering Controls

Ventilation Keep airborne concentrations below the occupational exposure

limits (OEL).

General ventilation is adequate for normal use; keep overall

exposure as low as possible.

Personal Protective Equipment

Eye protection Wear appropriate protective eyeglasses or chemical safety

goggles.

RECOMMENDATION: Ensure that glasses have side shields for

lateral protection.

Skin Protection If exposure to the jet or liquid is likely, wear cold-insulating

gloves to protect the skin against frostbites.

Respiratory Protection For extreme exposures, use self-contained breathing apparatus

or supplied by air.

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.



402C

ISO 9001:2015 Quality Management System

SAI Global File #004008 Burlington, Ontario, Canada

Super Duster[™] HFO-1234ZE

Section 9: Physical and Chemical Properties

Physical State	Liquified gas,	Lower Flammability	Not
	in aerosol format	Limit	applicable
Appearance	Colorless	Upper Flammability Limit	Not applicable
Odor	Slight, ether-like	Vapor Pressure @25°C	419 kPa [3 140 mmHg]
Odor Threshold	Not available	Vapor Density	3.94 (Air =1)
рH	Not Available	Relative Density @21.1 °C	1.17
Freezing/Melting	-156 °C	Solubility in	0.373 g/L
Point	[-249 °F]	Water @21.1 °C	
Initial Boiling Point ^{a)}	-19 °C [-2.2 °F]	Partition Coefficient (n-octanol/water)	1.6 ^{a)}
Flash Point	None	Auto-ignition	368 °C
	detected	Temperature	[695 °F]
Evaporation	≥1	Decomposition	Not
Rate	(Ether = 1)	Temperature	available
Flammability	Non	Viscosity	Not
	Flammable	@40 °C	available

Note: Literature values are used.
a) Octanol-water LogP value

Section 10: Stability and Reactivity

Reactivity Not available

Chemical Stability Chemically stable at normal temperatures and pressures.

Conditions toTemperatures above 50 °C [122 °F], open flames, and incompatible

Avoid substances

Incompatibilities Strong oxidizing agents, alkali metals

Polymerization Will not occur

Decomposition Will not decompose under normal conditions. For thermal

decomposition, see combustion products in Section 5.

Page **7** of **13**



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

Eyes See skin symptoms.

Skin Contact with the liquid may cause frostbite due to heat lost caused by

rapid evaporation. Exposure to the jet can lead to frostbite.

Inhalation Extreme exposure may cause central nervous system depression and

irregular heart beat.

Ingestion See inhalation and skin symptoms.

Chronic No chronic effects known.

Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	LD50 oral	LD50 dermal	LC50 inhalation
trans-1,3,3,3-tetrafluoroprop-1-ene	Not	Not	>207 000 ppm
	available	available	4 h Rat

Note: Toxicity data from the RTECS² and ECHA databases were consulted. The data from supplier (M)SDS were also consulted.

Other Toxicological Effects

damage/irritation

Skin corrosion/irritationBased on available data, the classification criteria are not

met.

Serious eyeBased on available data, the classification criteria are not

met.

Sensitization Based on available data, the classification criteria are not

(allergic reactions) met.

CarcinogenicityNone of the ingredients are classified or listed as a (risk of cancer)

None of the ingredients are classified or listed as a carcinogen by IARC, ACGIH, CA Prop 65, or NTP.

Mutagenicity Based on available data, the classification criteria are not

based on available data, the classification electra ar

(risk of heritable genetic effects) met. No mutagenic effects observed in four tests.

Reproductive Toxicity Based on available data, the classification criteria are not

(risk to sex functions) met.

Section continued on the next page

Page **8** of **13**



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Teratogenicity Based on available data, the classification criteria are not

(risk of fetus malformation) met.

STOT-single exposure Based on available data, the classification criteria are not

met. Can affect the central nervous system and

cardiovascular systems by inhalation at extreme doses

that do not give rise to classification.

STOT-repeated exposure Based on available data, the classification criteria are not

met. The chronic no observed effect level is

10 000 ppm.

Aspiration hazardBased on available data, the classification criteria are not

met. The liquid content is not classifiable as an aspiration

hazard of category 1 or 2.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (http://echa.europa.eu), and other reliable sources.

The trans-1,3,3,3-tetrafluoroprop-1-ene substance is not classifiable as an environmental toxicant.

Acute Ecotoxicity

Based on available data, the classification criteria are not met.

Chronic Ecotoxicity

Based on available data, the classification criteria are not met.

Biodegradability

No data available

Other Effects

Global Warming Potential

The 100 years global warming potential is <1.

VOC (Volatile Organic Compounds) exempted substance according to the US (EPA) and Canadian (CEPA) authorities.



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

Section 14: Transport Information

Ground

Refer to TDG(Canadian Transportation of Dangerous Goods regulations) Regulations.

Limited Quantity



Air

Refer to ICAO-IATA Dangerous Goods Regulations.

Limited Quantity



UN number: UN1950

Shipping Name: AEROSOL, non-flammable

Class: 2.2

Packing Group: Not applicable

Marine Pollutant: No

Note: Avoid shipping by air if possible.

Sea

Refer to IMDG Regulations.

Limited Quantity



UN number: UN1950

Shipping Name: AEROSOL, non-flammable

Class: 2.2

Packing Group: Not applicable

Marine Pollutant: No

Section continued on the next page

Page **10** of **13**



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Note: Shipper must be appropriately <u>trained and certified</u> before involvement with the transport of dangerous goods.

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

USA

Other Classifications

HMIS® RATING

HEALTH:	*	1
FLAMMABILITY:		0
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:
0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain substances that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product contains does not contain substances which are subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity, USA).

This product does not contain any of the listed substances.

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

Section 16: Other Information

SDS Prepared by MG Chemicals Regulatory Department

Date of Revision 14 September 2021

Supersedes 20 March 2018

Reason for Changes: Product name change.

Reference

- 1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).
- 2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

402C

SUPER DUSTERTM HFO-1234ZE

Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists (USA)

ECHA European Chemicals Agency

ΕU European Union

EC50 Half maximal effective concentration Half maximal effective loading EL50

International Agency for Research on Cancer IARC

No observable effect loading ratio NOELR NTP National Toxicology Program

Globally Harmonized System of Classification of Labeling of Chemicals GHS

LC50 Lethal Concentration 50%

Lowest published lethal concentration LCLo

Lethal Dose 50% LD50

OEL Occupational Exposure Limit PEL Permissible Exposure Limit

Safety Data Sheet SDS

Short-Term Exposure Limit STEL

TCLo Lowest published toxic concentration

Time Weighted Average TWA VOC Volatile Organic Content

Technical Queries Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs

are located at www.mgchemicals.com.

Email: support@mqchemicals.com

Telephone: 1-905-331-1396

Mailing Addresses Manufacturing & Support Head Office

> 1210 Corporate Drive 9347-193rd Street

Burlington, Ontario, Canada Surrey, British Columbia, Canada

L7L 5R6 V4N 4E7

Disclaimer

This material safety data sheet is provided as an information resource only. M.G. Chemicals, Ltd. believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional,

national, and international regulations.