

600-SERIES

Safety Data Sheet

Section 1: Identification

Product Identifier and Other Means of Identification

Product Identifier: Positive Presensitized Copper Clad Boards

Other Means of Identification: Not applicable

Related Part # 603, 606, 609, 612, 630, 650, 660, 687, 689, 690, 698

Recommended Use and Restriction on Use

Use: Presensitized copper clad, FR4 laminate for printed circuit board fabrication

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer

MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

Surrey, British Columbia V4N 4E7 CANADA +1-905-331-1396

MG Chemicals (Head Office)

9347-193 Street

+1-800-340-0772

FAX +1-800-340-0773

E-MAIL support@mgchemicals.com

www.mgchemicals.com

FAX +1-905-331-2682 E-MAIL info@mgchemicals.com

E-MAIL (Competent Person): sds@mgchemicals.com

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at **+1-613-996-6666** or ***666** on cellular phones



600-SERIES

Section 2: Hazard(s) Identification

Classification of Hazardous Chemical

GHS Categories

Based on available data, this product does not meet the HCS 2012 or WHMIS 2015 classification criteria.

These products are manufactured article under the US OSHA 1910.1200 and Canadian Hazardous Product Act definitions, and therefore they don't require a hazard label nor a safety data sheet.

Label Elements

Signal Word	No Signal Word
Pictograms	Hazard Statements
None mandated	None

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None

Section 3: Composition/Information on Ingredients

CAS #	Chemical Name	% (weight)
7440-50-8	copper	10-30%
65997-17-3	fiberglass fiber	30-60%



600-SERIES

Exposure Condition	GHS Code/Symptoms/Precautionary Statements
IF INHALED	P304 + P340
Immediate Symptoms	none known
Response	Remove person to fresh air and keep comfortable for breathing.
IF IN EYES	P305 + P351 + P338
Immediate Symptoms	none known
Response	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN	P302 + P352
Immediate Symptoms	none known
Response	Wash with plenty of water.
IF SWALLOWED	P301 + P330, P331
Immediate Symptoms	none known
Response	Rinse mouth. Do NOT induce vomiting.

Section 5: Fire-Fighting Measures

Extinguishing Media	Use dry chemical, carbon dioxide, chemical foam, or water spray to extinguish.
Specific Hazards	In a fire, this product can release metal oxide fumes and toxic fumes.
Combustion Products	Produces carbon oxides (CO, CO_2), copper oxides, nitrogen oxides (NO _x), brominated componds, and hydrogen bromide (HBr).
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.



SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Section 6: Accidental Release Measures

Personal Protection See personal protection recommendations in Section 8.

Precautions for

Avoid breathing the fumes/dust. Remove or keep away all

Response

sources of extreme heat.

Environmental

Not applicable

Precautions

Containment Methods Not applicable **Cleaning Methods** Not applicable

Cleaning Methods
Disposal Methods

Dispose of spill waste according to Section 13.

Section 7: Handling and Storage

Prevention Avoid breathing fumes/dust. Exposure to dust may occur during

machining or cutting operations.

Handling Wear protective gloves/clothing/eye protection.

Wash hands thoroughly after handling.

If dust is produced during processing of material, ensure adequate exposure control measures or wear personal

protection equipment. Exposure to dust may lead to irritation of

the eyes, skin, or upper respiratory tract.

Avoid release to the environment.

Storage Not applicable

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country/ Provinces	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
copper (dust and mist)	ACGIH U.S.A. OSHA PEL Canada AB	1.0 mg/m ³ 1.0 mg/m ³ 1.0 mg/m ³	Not established Not established Not established
	Canada BC Canada ON Canada QC	1.0 mg/m ³ 1 mg/m ³ 1 mg/m ³	Not established Not established Not established

Section continued on the next page

Page 4 of 12



SAI Global File #004008

Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Continued...

Chemical Name	Country/ Provinces	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
fibrous glass nuisance dust	ACGIH U.S.A. OSHA PEL U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	Not established 15.0 mg/m³ (total) 5.0 mg/m³ (resp.) 5.0 mg/m³ 2 f/cm³ a) 5.0 mg/m³ 2 f/cm³ a)	Not established Not established Not established Not established Not established Not established

Note: Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH¹, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS database² and data from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) fibres per cubic cm

Engineering Controls

Ventilation Keep airborne concentrations below the occupational exposure

limits (OEL).

MANUFACTURER'S NOTE: Because the article is in a massive form, exposure is only possible if the product is drilled, cut, or sanded

into an inhalable dust form.

Personal Protective Equipment

Eye protection Wear appropriate protective eyeglasses or chemical safety

aoaales.

RECOMMENDATION: Ensure that glasses have side shields for

lateral protection.

Skin Protection Use appropriate protective gloves for the surrounding chemical

environments.

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Respiratory Protection

If exposed to fumes or dust above the exposure limit, a suitable wear respirator meeting local/regional/national guidelines.

For emergencies a, use a self-contained breathing apparatus with full face piece operated in a pressure positive mode.

RECOMMENDATION: Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional. Ensure vapor cartridges are stored in sealed plastic bags when not being used.

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.

Section 9: Physical and Chemical Properties

Physical State	Solid	Lower Flammability Limit	Not available
Appearance	Light yellow	Upper Flammability Limit	Not available
Odor	None	Vapor Pressure @20 °C	Not available
Odor Threshold	Not available	Vapor Density	Not available
рН	Not available	Specific Gravity @25 °C	1.85
Freezing/Melting	Not	Solubility in	Negligible ^{a)}
Point	available	Water	
Boiling Point	Not	Partition	Not
	available	Coefficient	available
Flash Point	Not	Auto-ignition	Not
	available	Temperature ^{c)}	available
Evaporation	Not	Decomposition	Not
Rate	available	Temperature	available
Flammability	Not	Viscosity	Not
(solid, gas)	available	@25 °C	available

a) Metal components are sparingly soluble



SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Section 10: Stability and Reactivity

Reactivity The copper may form shock sensitive compounds in the presence of

acetylenic compounds.

Chemical Stability Chemically stable at normal temperatures and pressures.

Conditions to

Avoid

Extreme temperatures above 350 °C

Incompatibilities Oxidizing agents, strong acids

Polymerization Will not occur

Decomposition Will not decompose under normal conditions. For thermal

decomposition, see combustion products in Section 5.

Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

Eyes No effect known **Skin** No effect known

Inhalation Overexposure to dust or metal fumes may lead to respiratory tract

irrititation.

Ingestion No effect known
Chronic No effect known

Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	LD50 oral	LD50 dermal	LC50 inhalation
copper	>5 000 mg/kg	Not	>5.11 mg/L
	Mouse	established	Rat 4 h
glass fibre	Not	Not	Not
	available	available	available

Note: Toxicity data from the RTECS² and ECHA databases were consulted. The data from supplier SDS were also consulted.

Section continued on the next page

Page **7** of **12**



SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Other Toxicological Effects

Skin corrosion/irritationBased on available data, the classification criteria are

not met.

Serious eye damage/irritation Based on available data, the classification criteria are

not met.

Sensitization Based on available data, the classification criteria are

(allergic reactions) not met.

Carcinogenicity Not classified or listed as a carcinogen by IARC,

(risk of cancer) ACGIH, CA Prop 65, or NTP.

Mutagenicity Based on available data, the classification criteria are

(risk of heritable genetic effects) not met.

Reproductive Toxicity Based on available data, the classification criteria are

(risk to sex functions) not met.

Teratogenicity Based on available data, the classification criteria are

(risk of fetus malformation) not met.

STOT-single exposure Based on available data, the classification criteria are

not met.

STOT-repeated exposure Based on available data, the classification criteria are

not met.

Aspiration hazard There are no category 1 components, and the

kinematic viscosity is >20.5 mm²/s at 40 °C.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (http://echa.europa.eu), and other reliable sources.

Based one transformation/dissolution data published by ECHA registrants, the classification threshold is not met for massive copper.

Based on available data the FR4 polymer, the GHS aqueus toxicity classification criteria are not met.

Acute Ecotoxicity

Available toxicity data does not meet classification thresholds.

Section continued on the next page

Page **8** of **12**

SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Chronic Ecotoxicity

Available toxicity data does not meet classification thresholds.

Other Effects

Not available

Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

Section 14: Transport Information

Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); **USA DOT 49 CFR** (Parts 100 to 185) **Regulations.**

Not Regulated

Air

Refer to ICAO-IATA Dangerous Goods Regulations.

Not Regulated

Sea

Refer to IMDG regulations.

Not Regulated



600-SERIES

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

USA

Other Classifications

HMIS® RATING

HEALTH:	*	1
FLAMMABILITY:		0
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain products that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product contains copper (CAS# 7440-50-8; reportable quantity = 5 000 lb), which is subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

Section continued on the next page

SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity, USA).

This product does not contain any substances known to be listed in California.

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

Section 16: Other Information

SDS Prepared by MG Chemicals Regulatory Department

Date of Review 28 February 2020

Supersedes 30 May 2017

Reason for Changes: Update to the emergency phone number information.

Reference

- 1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).
- 2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

POSITIVE PRESENSITIZED COPPER CLAD BOARDS

600-SERIES

Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists (USA)

ECHA European Chemicals Agency

European Union FU

EC50 Half maximal effective concentration

EL50 Half maximal effective loading

IARC International Agency for Research on Cancer

NOELR No observable effect loading ratio NTP National Toxicology Program

Globally Harmonized System of Classification of Labeling of Chemicals GHS

Lethal Concentration 50% LC50

Lowest published lethal concentration LCLo

Lethal Dose 50% LD50

OFL Occupational Exposure Limit PEL Permissible Exposure Limit

Safety Data Sheet SDS

STEL Short-Term Exposure Limit

Lowest published toxic concentration TCLo

Time Weighted Average TWA VOC Volatile Organic Content

Technical Queries Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs

are located at www.mgchemicals.com.

Email: support@mgchemicals.com

Mailing Addresses Manufacturing & Support

1210 Corporate Drive 9347-193rd Street

Burlington, Ontario, Canada Surrey, British Columbia, Canada

L7L 5R6

Disclaimer

This safety data sheet is provided as an information resource only. M.G. Chemicals, Ltd. believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional,

Head Office

national, and international regulations.