



8327GF25-A

PART A

Safety Data Sheet

Section 1: Identification

Product Identifier and Other Means of Identification

Product Identifier: 8327GF25-A

Other Means of Identification: Liquid Thermal Gap Filler, Silicone (Part A) /

Charge Thermoconductrice Liquide de Silicone (Partie A)

Related Part # 8327GF25-50CC

Recommended Use and Restriction on Use

Use: thermal paste

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer

MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

MG Chemicals (Head Office) 9347-193 Street Surrey, British Columbia V4N 4E7

CANADA

+1-800-340-0772 +1-800-340-0773 FAX E-MAIL support@machemicals.com **W**EB www.mgchemicals.com

+1-905-331-1396 +1-905-331-2682 FAX E-MAIL

info@mgchemicals.com

E-MAIL (Competent Person): sds@mgchemicals.com

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 2: Hazard(s) Identification

Classification of Hazardous Chemical

GHS Categories

Based on available data, this product does not meet the HCS 2012 or WHMIS 2015 classification criteria.

Label Elements

Signal Word	No signal word
Pictograms	Hazard Statements
None mandated	None

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None

Section 3: Composition/Information on Ingredients

CAS #	Chemical Name	%(weight)
1344-28-1	aluminum oxide	80-100%
1333-86-4	carbon black	0.1-1%



SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 4: First-Aid Measures

Exposure Condition	GHS Code/Symptoms/Precautionary Statements
IF IN EYES	P305 + P351 + P338
Immediate Symptoms	low toxicity: no symptoms known or expected
Response	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN	P302 + P352
Immediate Symptoms	low toxicity: no symptoms known or expected
Response	Wash with plenty of water and soap.
IF INHALED	P304 + P340
Immediate Symptoms	low toxicity: no symptoms known or expected
Response	Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED	P301 + P330, P331
Immediate Symptoms	low toxicity: no symptoms known or expected
Response	Rinse mouth. Do NOT induce vomiting.

Section 5: Fire-Fighting Measures

Extinguishing Media	Use extinguishing media suitable for surrounding materials.
Specific Hazards	Not flammable or combustible, but burns if involved in a fire.
Combustion Products	Produces silicone oxide (SiO_2), aluminium oxides, and carbon oxides (CO , CO_2) and may generate formaldehyde.
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.



SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 6: Accidental Release Measures

Personal Protection See personal protection recommendations in Section 8.

Precautions for

Response

Not available

Environmental

Precautions

Avoid releasing to the environment.

Containment Methods Not applicable—not readily flowable

Cleaning Methods Collect waste in a waste container. Use soap and water to

remove the last traces of residue and prevent slipping hazard.

Disposal Methods Dispose of spill waste according to Section 13.

Section 7: Handling and Storage

Prevention Keep out of reach of children.

Avoid eye or skin contact.

Handling Wear protective gloves and eye protection.

Wash hands thoroughly after handling.

Storage Not available

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country or Vendor	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
aluminum oxide	ACGIH	1 mg/m ³	Not established
(dust/mist)	U.S.A. OSHA PEL	15 mg/m ^{3 a)}	Not established
	Canada AB	10 mg/m ³	Not established
	Canada BC	3 mg/m ³	10 mg/m ³
	Canada ON	Not established	Not established
	Canada SK	10 mg/m ³	20 mg/m ³
	Canada QC	10 mg/m ³	Not established
carbon black ^{a)}	ACGIH	3.5 mg/m ³	Not established
	U.S.A. OSHA PEL	3.5 mg/m ³	Not established
	Canada AB	3.5 mg/m ³	Not established
	Canada BC	3 mg/m ³	Not established
	Canada ON	3.5 mg/m ³	Not established
	Canada SK	3.5 mg/m ³	7 mg/m ³
	Canada QC	3.5 mg/m ³	Not established

Note: Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH¹, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS database² and from suppliers' SDSs were also consulted. Short term exposure limits (STEL) are usually for 15 min and long term permissible exposure limits (PEL) for 8 h.

a) Respirable airborne particles

Engineering Controls

Ventilation

Normal ventilation is generally adequate, except in enclosed or low lying area.

Because the aluminum oxide and carbon black are bound to the paste mixture, it does not present an airborne hazard under normal use. Ensure adequate ventilation if the product is mechanically misted or aerosolized.

Section continued on the next page

Page **5** of **13**

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Personal Protective Equipment

Eye protection Wear appropriate protective eyeglasses or chemical safety

goggles.

RECOMMENDATION: Ensure that glasses have side shields for

lateral protection.

Skin Protection For likely contacts, use of protective nitrile gloves or other

chemically resistant gloves.

Respiratory Protection If exposure limits are exceeded of if respiratory irritation is

experienced, wear an approved NIOS/MSHA respirator with a

particulate filter.

RECOMMENDATION: Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3.

The respirator should be fitted to the employee by a

professional.

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.



SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 9: Physical and Chemical Properties

Physical State	Liquid	Lower Flammability Limit	Not applicable
Appearance	Dark grey paste	Upper Flammability Limit	Not applicable
Odor	Negligible	Vapor Pressure @20 °C	Not available
Odor Threshold	Not available	Vapor Density	Not available
pH	Not applicable	Relative Density @23 °C	2.90
Freezing/Melting Point	Not available	Solubility in Water	Insoluble
Initial Boiling Point	Not available	Partition Coefficient n-octanol/water	Not available
Flash Point	350 °C [662 °F]	Auto-ignition Temperature	450 °C [842 °F]
Evaporation Rate	Not available	Decomposition Temperature	Not available
Flammability	Non Flammable	Viscosity @23 °C	100 000 mPa·s

Section 10: Stability and Reactivity

Reactivity	Chemically stabl	e at normal tei	mperatures and	pressures.
------------	------------------	-----------------	----------------	------------

Above 150 °C [300 °F] and in presence of oxygen in air, forms a small amount of formaldehyde through oxidative degradation.

Stable under normal conditions

Chemical Stability

Stable under normal conditions

Conditions to Avoid Moisture, freezing, excessive heat, and incompatible substances

Incompatibilities Water, acids, bases, peroxides

Polymerization Will not occur

Decomposition Will not decompose under normal conditions. For thermal

decomposition, see combustion products in Section 5.

Page **7** of **13**

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

EyesLow toxicity: no symptoms known or expectedSkinLow toxicity: no symptoms known or expectedInhalationLow toxicity: no symptoms known or expectedIngestionLow toxicity: no symptoms known or expectedChronicLow Toxicity—No known long term effects.

Acute Toxicity (Lethal Exposure Concentrations)

Chemical Name	LD50 oral	LD50 dermal	LC50	
	orai	dermai	inhalation	
aluminum oxide	>5 000 mg/kg	Not	Not	
	Rat	available	available	
carbon black	>15 g/kg	>3 g/kg	Not	
	Rat	Rabbit	available	

Note: Toxicity data from the RTECS² and ECHA databases were consulted. The data from supplier SDSs' were also consulted.

Other Toxicological Effects

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	Based on available data, the classification criteria are not met.
Sensitization (allergic reactions)	Based on available data, the classification criteria are not met.

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Carcinogenicity

(risk of cancer)

The carbon black [1333-86-4] is possibly carcinogenic by airborne routes of exposures. Because the carbon black is bound in the highly viscous grease matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal and emergency uses.

Carbon Black [1333-86-4]

IARC Group 2B: Possibly carcinogenic to humans ACGIH A4: Not classified as a human carcinogen

CA Prop 65: Listed as a carcinogen

NTP: Not listed

Mutagenicity

Based on available data, the classification criteria are

not met.

(risk of heritable genetic effects)

Based on available data, the classification criteria are

not met.

(risk to sex functions)

Teratogenicity

Based on available data, the classification criteria are

not met.

(risk of fetus malformation)

Reproductive Toxicity

STOT-single exposureBased on available data, the classification criteria are

not met.

STOT-repeated exposure

Based on available data, the classification criteria are

not met.

Aspiration hazard

Based on available data, the classification criteria are not met. There are no category 1 components, and the

kinematic viscosity is $>20.5 \text{ mm}^2/\text{s}$.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (http://echa.europa.eu), and other reliable sources.

Based on available data, aluminum oxide and carbon black are not classified as environmental hazard according to GHS criteria.

Section continued on the next page

Page **9** of **13**

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Acute Ecotoxicity

Based on available data, the classification criteria are not met.

Chronic Ecotoxicity

Based on available data, the classification criteria are not met.

Biodegradability

Not available

Bioaccumulation

Not available

Other Effects

Not available

Section 13: Disposal Information

Dispose of contents in accordance with all local, regional, national, and international regulations.

Section 14: Transport Information

Ground

Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); **USA DOT 49 CFR** (Parts 100 to 185) **Regulations.**

Non Regulated

Air

Refer to ICAO-IATA Dangerous Goods Regulations.

Non Regulated

Sea

Refer to IMDG regulations.

Non Regulated

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL) / Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL or NDSL.

A non-hazardous ingredient is not DSL or NDSL listed.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

USA

Other Classifications

HMIS® RATING

HEALTH:	*	1
FLAMMABILITY:		1
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain substances that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45)

This product contains does not contain substances which are subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

Section continued on the next page

Page 11 of 13



SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity)

This product contains carbon black, but it is bound and exposures during normal conditions of uses are below the Safe Harbor Threshold.

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

Section 16: Other Information

SDS Prepared by MG Chemical's Regulatory Department

Date of Review 09 March 2020

Supersedes 09 December 2020

Reason for Changes: Update to the emergency phone number information.

Reference

- 1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).
- 2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

Section continued on the next page

SAI Global File #004008 Burlington, Ontario, Canada

8327GF25-A PART A

Abbreviations

ACGIH American Conference of Governmental Industrial Hygienists (USA) Half maximal effective concentration EC50 EL50 Half maximal effective loading IARC International Agency for Research on Cancer No observable effect loading ratio NOELR NTP National Toxicology Program Globally Harmonized System of Classification of Labeling of Chemicals GHS LC50 Lethal Concentration 50% LCLo Lowest published lethal concentration LD50 Lethal Dose 50% Occupational Exposure Limit OFL PEL Permissible Exposure Limit SDS Safety Data Sheet STEL Short-Term Exposure Limit Lowest published toxic concentration TCLo TWA Time Weighted Average

Volatile Organic Content

VOC

Technical Oueries Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at www.mgchemicals.com.

Email: support@mgchemicals.com

Mailing Addresses Manufacturing & Support Head Office

1210 Corporate Drive 9347-193rd Street

Burlington, Ontario, Canada Surrey, British Columbia, Canada

L7L 5R6 V4N 4E7

Disclaimer

This safety data sheet is provided as an information resource only. M.G. Chemicals, Ltd. believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.