

(PART B)

Safety Data Sheet

Section 1: Identification

Product Identifier and Other Means of Identification

Product Identifier: 8331-B

Other Means of Identification: Silver Conductive Epoxy Adhesive

Related Part # 8331-14G, 8331-50ML, 8331-200ML (withdrawn: 8331-429G, 8331-454G)

Recommended Use and Restriction on Use

Use: Electrically conductive epoxy adhesive hardener part for use with resins

Uses Advised Against: Not available

Details of Manufacturer or Importer

Manufacturer MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

MG Chemicals (Head Office) 9347-193 Street Surrey, British Columbia V4N 4E7 CANADA

***** +1-800-340-0772
 Fax +1-800-340-0773
 E-MAIL <u>support@mgchemicals.com</u>

 WEB

 www.mgchemicals.com

 Image: system
 +1-905-331-1396

 Fax
 +1-905-331-2682

 E-MAIL
 info@mgchemicals.com

E-MAIL (Competent Person): sds@mgchemicals.com

Emergency Phone Number

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at **+1-613-996-6666** or ***666** on cellular phones

Page 1 of 17



8331-В

(PART B)

Section 2: Hazard(s) Identification

Classification of the Chemical Material

GHS Categories

Criteria	-	Category	Signal Word	Pictograms
Eye Damage		1	Danger	Corrosion
Skin Corrosion		1B	Danger	Corrosion
Sensitization	Skin	1	Warning	Exclamation
Acute Toxicity	Oral	4	Warning	Exclamation
Reproductive Toxicity		2	Warning	Health
Hazardous to the Aquatic Environment	Chronic	1	Warning	Environment

Note: The degree of severity is ranked within each hazard class from

1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

Label Elements

Signal Word	DANGER
Pictograms	Hazard Statements
	H314: Causes severe skin burns and eye damage
	H317: May cause an allergic skin reaction H302: Harmful if swallowed
	H361: Suspected of damaging fertility or the unborn child

Section continued on the next page

Page 2 of 17



ISO 9001:2015 Quality Management System SAI Global File #004008

Burlington, Ontario, Canada

8331-B

(PART B)

Pictograms	Hazard Statements	
¥2	H410: Very toxic to aquatic life with long lasting effects	
Prevention	Precautionary Statements	
P102	Keep out of reach of children.	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P260	Do not breathe vapors.	
P280	Wear protective gloves and eye protection.	
P264	Wash hands thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
Response	Precautionary Statements	
P308 + P313	If exposed or concerned: Get medical advice or attention.	
P305 + P351 + P338, P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
P301+ P330 + P331, P310	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.	
P303 + P361 + P352, P310	IF ON SKIN (or hair): Take off immediately all contaminated clothing Wash with plenty of water. Immediately call a POISON CENTER or doctor.	
P363	Wash contaminated clothing before reuse.	
P333 + P313	If skin irritation or rash occurs: Get medical advice or attention.	
P304 + P340, P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.	
P391	Collect spillage.	

Section continued on the next page

Page **3** of **17**



8331-В

(PART B)

Continued		
Storage	Precautionary Statements	
P405	Store locked up.	
Disposal	Precautionary Statements	
P501	Dispose of contents in accordance to local, regional, national, and international regulations.	

Hazards Not Otherwise Classified

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
Argyria	Long term ingestion or inhalation of silver can lead to an irreversible blue-grey discoloration of the skin.	None	None

Section 3: Composition/Information on Ingredients

CAS #	Chemical Name	%(weight)
7440-22-4	silver	67%
84852-15-3	4-nonylphenol, branched	22%
140-31-8	1-piperazineethanamine	7%
68411-71-2	diethylene triamine, reaction product with diglycidyl ether of bisphenol A	1%
111-40-0	diethylene triamine	1%
80-05-7	4,4'-isopropylidenediphenol	1%

Section 4: First-Aid Measures

Exposure Condition	GHS Code: Precautionary Statement
IF IN EYES	P305 + P351 + P338, P310
Immediate Symptoms	redness, severe irritation, pain, burns
Response	Rinse cautiously with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Immediately call a POISON CENTER or doctor.

Section continued on the next page

Page 4 of 17



8331-B

(PART B)

Continued	
IF SWALLOWED	P301 + P330, P331, P310, P308 + P313
Immediate Symptoms	severe irritation, burns to mouth, throat, stomach
Response	Rinse mouth. Do not induce vomiting. Immediately call a POISON CENTRE or doctor.
	If exposed or concerned: Get medical advice or attention.
IF ON SKIN	P303 + P361+ P353, P310, P333 + P313, P363
Immediate or Delayed Symptoms	redness, rash (allergic contact dermatitis), severe irritation, pain, burns, blistering
Response	Take off immediately all contaminated clothing. Wash with plenty of water. Immediately call a POISON CENTRE or doctor.
	If skin irritation or rash occurs: Get medical advice or attention.
	If exposed or concerned: Get medical advice.
	Wash contaminated clothing before reuse.
IF INHALED	P304 + P340, P310, P308 + P313
Immediate Symptoms	cough, severe irritation or burns of the respiratory track
Response	Remove person to fresh air and keep comfortable for breathing.
	Immediately call a POISON CENTRE or doctor.
	If exposed or concerned: Get medical advice.
Section 5: Fire-Fighting	g Measures
Extinguishing Media	In case of fire: Use dry chemical, carbon dioxide, chemical foam, or water spray to extinguish. Use water spray to cool containers.
Specific Hazards	Not flammable or combustible, but will burn if involved in a fire. Produces irritating smoke and toxic smoke in fires.
	Inhalation of silver oxide fumes may cause metal fever and irritate the respiratory tract. The flu-like symptoms of metal fever may be delayed, occurring 4 to 12 hours after exposure.
	Toxic to aquatic environments: Prevent fire-fighting wash from entering waterway or sewer system.

Combustion ProductsProduces carbon oxides (CO, CO2), nitrogen oxides (NOx),
amines, silver oxide fumes and other toxic fumes.Fire-FighterWear self-contained breathing apparatus and full fire-fighting

turn-out gear.

Page 5 of 17



8331-В

(PART B)

Section 6: Accidental F	Release Measures
Personal Protection	Use personal protection recommended in Section 8.
Precautions for Response	Do not breathe vapors. Keep away from extreme heat or open flames.
Environmental Precautions	Avoid releasing to the environment. Prevent spill from entering drains and waterways.
Containment Methods	None required—this product is not readily flowable
Cleaning Methods	Collect liquid in a sealable container. Sprinkle inert absorbent compound onto spill, then sweep into the container. Wipe remaining residue with a paper towel wetted with alcohol (or other suitable organic solvent) and place dirty towels in container. Wash spill area with soap and water to remove the last traces of residue.
	RECOMMENDATION: Use a plastic, stainless steel, or carbon steel container. Avoid containers with copper, aluminum, zinc, or galvanized surfaces since the waste mater can slowly oxidize them.
Disposal Methods	Dispose spill waste according to Section 13.

Section 7: Handling and Storage	
Prevention	Keep out of reach of children.
	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
	Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.
	Do not breathe vapors. Do not eat, drink, or smoke when using this product.
	Avoid release to the environment.
Handling	Wear protective gloves and eye protection.
	Wash hands thoroughly after handling.
	Collect spillage.
Storage	Store locked up.

Page 6 of 17



8331-B

(PART B)

Section 8: Exposure Controls/Personal Protection

Substances with Occupational Exposure Limit Values

Chemical Name	Country or Vendor	Long Term Exposure Limits (PEL)	Short Term Exposure Limits (STEL)
silver (metal dust, mist) (metal) (Ag and its compounds) (metal, dust, fumes)	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	0.1 mg/m ³ 0.01 mg/m ³ 0.1 mg/m ³ 0.01 mg/m ³ 0.1 mg/m ³ 3 mg/m ³	Not established Not established Not established 0.03 mg/m ³ Not established Not established
diethylene triamine	ACGIH U.S.A. OSHA PEL Canada AB Canada BC Canada ON Canada QC	1 ppm (Skin) Not established 1 ppm (Skin) 1 ppm (Skin) (S) 1 ppm (Skin) 1 ppm (Skin)	Not established Not established Not established Not established Not established Not established

Note: Ingredients are listed in descending weight contribution order (from greatest to least). The ACGIH¹, OSHA (Table Z-1), and Canadian provinces exposure limits were consulted. Limits from the RTECS² database and data from suppliers' SDS were also consulted. Short term exposure limits (STEL) are for 15 min and long-term permissible exposure limits (PEL) for 8 h.

Skin—can be absorbed through the skin S—Sensitizer

Engineering Controls

Ventilation

Keep airborne concentrations below the occupational exposure limits (OEL).

Because the silver flakes and diethylene triamine are bound in the adhesive mixture, they do not present an airborne hazard under normal use.

Section continued on the next page

Page **7** of **17**



8331-B

(PART B)

Personal Protective Equipment

Eye protection	Wear appropriate protective eyeglasses or chemical safety goggles.
	RECOMMENDATION: Use safety glasses with lateral protection (side shields).
Skin Protection	For likely contacts, use of protective butyl rubber, neoprene, or other chemically resistant gloves.
	For incidental contacts, use nitrile or other chemically resistant gloves.
Respiratory Protection	For over-exposures up to 10 x OEL of mist and vapors, wear respirator such as a half-mask respirator with organic vapor cartridges and particulate filter.
	Above 10 x OEL or if the worker is allergic, use a full mask, positive-pressure, air-supplied respirator or a self-contained breathing apparatus.
	If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.
	RECOMMENDATION: Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a professional. Ensure vapor cartridges are stored in sealed plastic bags when not being used.

General Hygiene Considerations

Wash hands thoroughly with water and soap after handling.

Page **8** of **17**



8331-B

(PART B)

Physical State	Solid, paste	Lower Flammability Limit	Not available
Appearance	Silver grey	Upper Flammability Limit	Not available
Odor	Amine-like	Vapor Pressure @25 °C	Not available
Odor Threshold	Not available	Vapor Density	Not available
рН	Not available	Relative Density @25 °C	2.4
Freezing/Melting Point	Not available	Solubility in Water	Practically insoluble
Initial Boiling Point	Not available	Partition Coefficient n-octanol/water	Not available
Flash Point ^{a)}	>93.3 °C [>200 °F]	Auto-ignition Temperature	Not available
Evaporation Rate	Not available	Decomposition Temperature	Not available
Flammability	Non Flammable	Viscosity @40 °C	>20.5 mm ² /s

a) Setaflash closed cup flash point for hardener components

Section 10: Stability and Reactivity

Reactivity	Reacts exothermically with epoxide groups.	
Chemical Stability	Chemically stable at normal temperatures and pressures	
Conditions to Avoid	Avoid flames, sparks, other ignition sources and incompatible substances.	
Incompatibilities	Strong oxidizing agents, strong acids, strong bases, ammonia	
Polymerization	Will not occur	
Decomposition	For thermal decomposition, see combustion products in Section 5.	



8331-B

(PART B)

Section 11: Toxicological Information

Summary of Effects and Symptoms by Routes of Exposure

- EyesCauses redness, severe eye irritation, pain, or corrosive eye damage.
Contains mechanically abrasive particles.
- **Skin** Causes redness, serious skin irritation, allergic contact dermatitis, chemical burns, and blistering.

Inhalation May cause cough and severe respiratory irritation.

- **Ingestion** Causes severe irritations or burns to mouth, throat, and stomach and harmful effects.
- **Chronic** Prolonged and repeated exposure may lead to skin sensitization and to reproductive toxicity.

Long term exposure to silver powder or compounds can lead to an irreversible blue-grey discoloration of the skin.

Lethal Exposure Concentrations

Chemical Name	LD50	LD50	LC50
	oral	dermal	inhalation
silver	>5 g/kg	>2 000 mg/kg	5.16 mg/L
	Guinea Pig	Rabbit	Rat ≥4 h (dust)
4-nonyl phenol, branched	1 300 mg/kg Rat	>3 160 mg/kg	Not available
1-piperazineethanamine	2 140 µl/kg	866 mg/kg	Not
	Rat	Rabbit	available
diethylene triamine, reaction product with diglycidyl ether of Bisphenol A	Not available	Not available	Not available
diethylene triamine	1 080 mg/kg	1 090 mg/kg	Not
	Rat	Rabbit	available
4,4'-isopropylidenediphenol	2 400 mg/kg	3 mL/kg	>170 mg/m ³
	Rat	Rabbit	Rat 6 h

Note: Toxicity data from the RTECS² and ECHA were consulted. The data from supplier SDS were also consulted.

Section continued on the next page

Page 10 of 17



8331-В

(PART B)

Other Toxicological Effects	
Skin corrosion/irritation	The 4-nonyl phenol, branched; diethylene triamine; and 1-piperazineethanamine cause skin burns.
Serious eye damage/irritation	The 4-nonyl phenol, branched; diethylene triamine; and 1-piperazineethanamine cause eye damage.
Respiratory and skin sensitization (allergic reactions)	The 1-piperazineethanamine and 4,4'-isopropyli- denediphenol may cause skin sensitization.
Carcinogenicity (risk of cancer)	None of the ingredients are classified or listed as a carcinogen by IARC, ACGIH, CA Prop 65, or NTP.
Mutagenicity (risk of heritable genetic effects)	Based on available data, the classification criteria are not met.
Reproductive Toxicity (risk to sex functions)	Based on animal studies 2-piperazin-1-ylethylamine has been shown to be a developmental toxicant if swallowed.
Teratogenicity (risk of fetus malformation)	The 4-nonyl-phenol, branched and 4,4'-isopropyli- denediphenol are suspected of being reproductive toxicants.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met. The mixture does not contain components classified as aspiration hazards and the kinematic viscosity of the mixture is >20.5 mm ² /s at 40 °C.

Section 12: Ecological Information

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<u>http://echa.europa.eu</u>), and other reliable sources.

Contains silver particles of less than a 1 mm but more than 100 nm (larger than nanoparticles), which release ionic silver levels that is very toxic to the environment. While massive silver is insoluble in water, its powders is considered sufficiently soluble to give rise to an ecological hazard by EU48 regulators. The classification that takes into account to chronic aqueous toxicity of category 1 (M = 10 for silver) of the EU.

The 4-nonyl phenol, branched, ingredient has a chronic aqueous toxicity of category 1 according to the minimal LC50 96 h of 0.135 mg/L Lepomis macrochiru.

Page 11 of 17



8331-В

(PART B)

Section continued on the next page

The 4,4'-isopropylidenediphenol ingredient is a category 2 aqueous pollutant according to the minimal 96 h LC50 of 4.6 mg/L for Pimephales promelas (fathead minnow); EC50 48 h of 10.2 mg/L Daphnia Magna (water flea); and EC50 96 h of 2.73 for Pseudokirchneriella subcapitata (green algae).

The 1-piperazineethanamine) is a category 4 aqueous pollutant according to the minimal 96 h LC50 of 2190 mg/L for Pimephales promelas (fathead minnow); EC50 48 h of 58 mg/L Daphnia Magna (water flea); EC50 72 h of 465 mg/L for Selenastrum capricornutum.

Diethylene triamine is not classified as an aqueous pollutant according to available data.

Acute Ecotoxicity

Category 1 Very toxic to aquatic life

Chronic Ecotoxicity

Category 1 Very toxic to aquatic life with long lasting effect Avoid release to the environment. Collect spillage. **Persistence and Biodegradability** Not available **Bioaccumulative Potential** Not available **Mobility in Soil**

Not available

Other Effects

Not available

Section 13: Disposal Considerations

Dispose of contents in accordance with all local, regional, national, and international regulations.

Page **12** of **17**



8331-В

(PART B)

Section 14: Transport Information

Ground


Refer to TDG regulations (Canadian Transportation of Dangerous Goods regulations); **USA DOT 49 CFR** (Parts 100 to 185) **Regulations.**

Sizes 1 kg and under 8331-14G, 8331-50ML, 8331-200ML Limited Quantity



Sizes greater than 1 kg FOR REFERENCE ONLY UN number: UN3263 Shipping Name: CORROSIVE SOLID, BASIC, ORGANIC N.O.S. (4-nonylphenol, branched; aminoethylpiperazine; silver powder <1 mm) Class: 8 Packing Group: II Marine Pollutant: Yes

Air



Section continued on the next page

Page **13** of **17**




ISO 9001:2015 Quality Management System

SAI Global File #004008 Burlington, Ontario, Canada

8331-B

(PART B)

Sea



Note: Shipper must be appropriately <u>trained and certified</u> before involvement with the transport of dangerous goods.

Section 15: Regulatory Information

Canada

Domestic Substance List (DSL)/Non-Domestic Substance Lists (NDSL)

All hazardous ingredients are listed on the DSL/NDSL.

Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

Section continued on the next page

Page 14 of 17



8331-B

(PART B)

USA

Other Classifications

HMIS® RATING

HEALTH:	*	3
FLAMMABILITY:		1
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain substances that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product contains silver (CAS# 7440-22-4; reportable quantity = 1 000 lb), which is subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

This product contains 4,4'-isopropylidenediphenol (CAS# 80-05-7), which is subject to the reporting requirements of section 313 of the SARA Title III.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals known to cause cancer or reproductive toxicity, USA).

This product contains Bisphenol A (BPA; CAS# 80-05-7), which is listed as a reproductive hazard.

Section continued on the next page

Page 15 of 17



8331-В

(PART B)

Europe

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment and is therefore not governed by this regulation.

Section 16: Other Information		
Prepared by the	Regulatory Affairs Department	
Date of Revision	22 July 2021	
Supersedes	09 March 2020	
Reason for Changes:	Correction to the spelling of chemical CAS number 84852-15-3.	

Reference

1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).

2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

Abbreviations

- ACGIH American Conference of Governmental Industrial Hygienists (USA)
- EC50 Half maximal effective concentration
- GHS Globally Harmonized System of Classification of Labeling of Chemicals
- IARC International Agency for Research on Cancer
- LC50 Lethal Concentration 50%
- LD50 Lethal Dose 50%
- NTP National Toxicology Program
- OEL Occupational Exposure Limit
- PEL Permissible Exposure Limit
- SDS Safety Data Sheet
- STEL Short-Term Exposure Limit
- TCLo Lowest published toxic concentration
- TWA Time Weighted Average
- VOC Volatile Organic Content

Section continued on the next page

Page 16 of 17



8331-В

(PART B)

Technical Queries Contact us regarding any questions, improvement suggestions, or problems with this product. Application notes, instructions, and FAQs are located at <u>www.mgchemicals.com</u>.

Email: support@mgchemicals.com

Phone: +1-905-331-1396

Mailing Addresses Manufacturing & Support 1210 Corporate Drive Burlington, Ontario, Canada L7L 5R6 Head Office 9347–193rd Street Surrey, British Columbia, Canada V4N 4E7

Disclaimer This safety data sheet is provided as an information resource only. *M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional, national, and international regulations.