

8332-A

(PART A)

# **Safety Data Sheet**

#### Section 1: Identification

#### Product Identifier and Other Means of Identification

**Product Identifier: 8332-A** 

**Other Means of Identification:** Fast Set Epoxy (Part A)

Related Part # 8332-25ML, 8332-50ML

#### Recommended Use and Restriction on Use

**Use:** Fast setting epoxy adhesive resin **Uses Advised Against:** Not available

#### **Details of Manufacturer or Importer**

#### Manufacturer

MG Chemicals 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA

 #1-800-340-0772

 FAX
 +1-800-340-0773

 E-MAIL
 support@mgchemicals.com

 WEB
 www.mgchemicals.com

MG Chemicals (Head Office)

9347-193 Street

Surrey, British Columbia V4N 4E7

CANADA

+1-905-331-1396 FAX +1-905-331-2682 E-MAIL info@mgchemicals.com

**E-MAIL** (Competent Person): <a href="mailto:sds@mqchemicals.com">sds@mqchemicals.com</a>

## **Emergency Phone Number**

**For hazardous material incidents ONLY** (leaks, spills, fires, exposures or accidents) USA or CANADA—Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA—Call CANUTEC collect at +1-613-996-6666 or \*666 on cellular phones

8332-A

(PART A)

## **Section 2: Hazard(s) Identification**

## **Classification of the Chemical Chemical**

## **GHS Categories**

Criteria		Category	Signal Word	Pictograms
Sensitization	Skin	1	Warning	Exclamation
Eye Irritation		2	Warning	Exclamation
Skin Irritation		2	Warning	Exclamation
Hazardous to the Aquatic Environment	Chronic	2	Warning	Environment

Note: The degree of severity is ranked within each hazard class from 1 (Highest Severity) to up to 5 (Lowest Severity), which is opposite to HMIS and NFPA conventions. Severity category rankings do not allow comparisons between classes.

## **Label Elements**

Signal Word	WARNING
Pictograms	Hazard Statements
	H319: Causes serious eye irritation
	H315: Cause skin irritation
	H317: May cause an allergic skin reaction
***	H411: Toxic to aquatic life with long lasting effects
Prevention	Precautionary Statements
P102	Keep out of reach of children.
P261	Avoid breathing fumes, mist, and vapors.
P280	Wear protective gloves and eye protection.
P272	Contaminated work clothing should not be allowed out of the workplace.

Section continued on the next page

Page **2** of **14** 

SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

Continued...

Prevention	Precautionary Statements
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
Response	Precautionary Statements
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice or attention.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P333 + P313	If skin irritation or rash occurs: Get medical advice or attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
Disposal	Precautionary Statements
P501	Dispose of contents in accordance to local, regional, and international regulations.

## **Hazards Not Otherwise Classified**

Other Criteria	Hazard Statements/Precautionary Statement	Signal Word	Pictograms
None	None	None	None

## **Section 3: Composition/Information on Ingredients**

CAS #	Chemical Name	%(weight)
25068-38-6	bisphenol-A epoxy resin (reaction product) <sup>a)</sup>	≤100%

a) Average molecular weight of ≤700



8332-A (PART A)

## **Section 4: First-Aid Measures**

Exposure Condition	GHS Code: Precautionary Statement
IF IN EYES	P305 + P351 + P338, P337 + P313
Immediate Symptoms	redness, irritation, pain
Response	Rinse cautiously with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists: Get medical attention.
IF ON SKIN	P302 + P352, P362 + P364, P333 + P313
Immediate Symptoms	redness, irritation, rash
Response	Wash with plenty of water. Take off contaminated clothing and wash it before reuse.
	If skin irritation or rash occurs: Get medical advice or attention.
IF INHALED	P304 + P340
Immediate Symptoms	cough, irritation of the respiratory track
Response	Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED	P301 + P330 + P331
Immediate Symptoms	irritation
Response	Rinse mouth. Do not induce vomiting.

## **Section 5: Fire-Fighting Measures**

Extinguishing Media	In case of fire: Use extinguishing media suitable for surrounding materials.
Specific Hazards	Not flammable or combustible, but will burn if involved in a fire. Produces irritating smoke of unknown toxicity in fires.
<b>Combustion Products</b>	Produces carbon oxides (CO, CO <sub>2</sub> )
Fire-Fighter	Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

# Chemicals

#### ISO 9001:2015 Quality Management System

SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

## **Section 6: Accidental Release Measures**

**Personal Protection** Use personal protection recommended in Section 8.

**Precautions for** 

Response

Avoid breathing the fumes, mist, and vapors.

Environmental Precautions

Avoid releasing to the environment. Prevent spill from entering drains and waterways. Do not flush to sewer.

**Containment Methods** 

Contain with inert and non-flammable absorbent (such as soil,

sand, vermiculite).

**Cleaning Methods** 

Collect the liquid in a sealable, chemical-resistant container. Sprinkle inert absorbent compound onto spill, then sweep into the container. Wipe off residues with paper towels and place the used towels in the waste container. Wash the spill area with soap and water to remove the last traces of residue.

**Disposal Methods** 

Dispose of spill waste according to Section 13.

## Section 7: Handling and Storage

**Prevention** Keep out of reach of children.

Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before

reuse.

Avoid breathing fumes, mist, and vapors.

Avoid release to the environment.

**Handling** Wear protective gloves and eye protection.

Wash hands thoroughly after handling.

Collect spillage.

**Storage** RECOMMENDATION: Keep in a dry and clean area, away from

incompatible substances.



SAI Global File #004008 Burlington, Ontario, Canada

8332-A (Part A)

## **Section 8: Exposure Controls/Personal Protection**

## **Substances with Occupational Exposure Limit Values**

Contains no substances with occupational exposure limits.

*Note:* The ACGIH<sup>1</sup>, OSHA, and Canadian provinces exposure limits were consulted. Limits from by RTECS database<sup>2</sup> and data from suppliers' SDS were also consulted.

## **Engineering Controls**

**Ventilation** General ventilation is adequate for normal use; keep overall

exposure as low as possible.

## **Personal Protective Equipment**

**Eye protection** Wear appropriate protective eyeglasses or chemical safety

goggles.

**RECOMMENDATION:** Use safety glasses with lateral protection

(side shields).

**Skin Protection** For likely contacts, use of protective butyl rubber or other

chemically resistant gloves.

For incidental contacts, use nitrile or other chemically resistant

gloves.

**Respiratory Protection** Generally, for emergencies and exposure above 0.5 mg/m<sub>3</sub>,

use a self-contained breathing apparatus with full face piece

operated in a pressure positive mode.

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor

cartridge or with an independent air supply.

**RECOMMENDATION:** Consult your local safety supply store to ensure that your respirator has a NIOSH (U.S.) approved filter

cartridges appropriate for the ingredients listed in Section 3. The respirator should be fitted to the employee by a

professional. Ensure vapor cartridges are stored in sealed

plastic bags when not being used.

## **General Hygiene Considerations**

Wash hands thoroughly with water and soap after handling.

Page **6** of **14** 



8332-A (PART A)

## **Section 9: Physical and Chemical Properties**

Physical State	Liquid	Lower Flammability Limit	Not available
Appearance	Clear, yellow tint	Upper Flammability Limit	Not available
Odor	Mild	Vapor Pressure @25 °C <sup>a)</sup>	<5.0×10 <sup>-10</sup> hPa [<3.5×10 <sup>-10</sup> mmHg]
Odor Threshold	Not available	Vapor Density	Not available
рH	Not available	Relative Density @20 °C	1.16
Freezing/Melting Point	Not available	Solubility in Water	Practically insoluble
Initial Boiling Point	>150 °C [>302 °F]	Partition Coefficient n-octanol/water	Not available
Flash Point	250 °C [482 °F]	Auto-ignition Temperature	Not available
Evaporation Rate	Not available	Decomposition Temperature	Not available
Flammability	Non Flammable	Viscosity @25 °C	>10 000 mm <sup>2</sup> /s

a) Literature value for similar composition mixture

## **Section 10: Stability and Reactivity**

**Chemical Stability** Chemically stable at normal temperatures and pressures **Conditions to Avoid** Avoid flames, excessive temperatures, and incompatible

substances.

**Incompatibilities** Strong oxidizing agents, strong bases, ammonia

Polymerization Will not occur

**Decomposition** Will not decompose under normal conditions. For thermal

decomposition, see combustion products in Section 5.



SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

## **Section 11: Toxicological Information**

## Summary of Effects and Symptoms by Routes of Exposure

Eyes Causes redness, serious eye irritation, or pain.

Skin May cause mild to moderate skin irritation.

**Inhalation** May cause coughing and irritation of the respiratory tract (nose,

throat, and lung).

**Ingestion** It may cause irritation.

**Chronic** Prolonged and repeated exposure may lead to skin sensitization.

## **Acute Toxicity (Lethal Exposure Concentrations)**

Chemical Name	LD50	LD50	LC50
	oral	dermal	inhalation
bisphenol-A epoxy resin (reaction product)	11 400 mg/kg	Not	Not
	Rat	available	available

*Note:* Toxicity data from the RTECS<sup>2</sup> and ECHA databases were consulted. The data from supplier SDSs were also consulted.

## Other Toxicological Effects

**Skin corrosion/irritation** Causes skin irritant.

**Serious eye** Serious to moderate eye irritant

damage/irritation

**Respiratory and skin** Skin sensitizer based on animal studies on

**sensitization** (allergic reactions) components

Carcinogenicity

None of the ingredients are classified or listed as a carcinogen by IAPC ACGIH, CA Prop 65, or NTP

(risk of cancer) carcinogen by IARC, ACGIH, CA Prop 65, or NTP

Mutagenicity Based on available data, classification criteria are not

(risk of heritable genetic effects) met.

**Reproductive Toxicity**Based on available data, classification criteria are not

(risk to sex functions) m

**Teratogenicity** Based on available data, classification criteria are not

(risk of fetus malformation) met.

Section continued on the next page

Page **8** of **14** 



SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

**STOT-single exposure** Based on available data, classification criteria are not

met.

**STOT-repeated exposure** Based on available data, classification criteria are not

met.

**Aspiration hazard** The liquid content does not meet the aspiration hazard

criteria. The mixture doesn't contain category 1

substances.

## **Section 12: Ecological Information**

Ecological classifications are based on the IMDG/GHS criteria in conjunction with ecotoxicological data from our suppliers, the European Chemical Agency database (<a href="http://echa.europa.eu">http://echa.europa.eu</a>), and other reliable sources.

In Europe, similar epoxy resin mixtures with CAS# 25068-38-6 and average molecular weight of less than 700 are generally classified as chronic category 2 marine pollutant due to LC50 96 h of >1 mg/L but  $\le 10$  mg/L.

## **Acute Ecotoxicity**

See chronic ecotoxicity.

## **Chronic Ecotoxicity**

Toxic to aquatic life with long lasting effect

Avoid release to the environment. Collect spillage.

#### **Persistence and Biodegradability**

Not available

#### **Bioaccumulative Potential**

Not available

## **Mobility in Soil**

Not available

#### Other Effects

Not available

SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

## **Section 13: Disposal Considerations**

Dispose of contents in accordance with all local, regional, national, and international regulations.

## Section 14: Transport Information

#### Ground

**Refer to TDG regulations** (Canadian Transportation of Dangerous Goods regulations); **USA DOT 49 CFR** (Parts 100 to 185) **Regulations.** 

Sizes under 450 L 8332-25ML, 8332-50ML (Part A) NOT REGULATED in TDG per Special Provisions 99

Sizes 5 L and under **NOT REGULATED** in 49 CFR per exception 171.4 (c)(2) 49 CFR: Sizes over 5 L FOR REFERENCE ONLY UN number: UN3082

**Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bisphenol-A epoxy resin (reaction product))

Class: 9

Packing Group: III Marine Pollutant: Yes

**Special Provision 99 (2)**: These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

## 171.4 (c) Exceptions:

(2) Single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other requirements of this subchapter provided the packagings meet the general requirements in §§ 173.24 and 173.24a. This exception does not apply to marine pollutants that are a hazardous waste or a hazardous substance. In the case of marine pollutants also meeting the criteria for inclusion in another hazard class, all provisions of this subchapter relevant to any additional hazards continue to apply.

Section continued on the next page



SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

#### Air

Refer to ICAO-IATA regulations.	
Sizes 5 L and under 8332-25ML, 8332-50ML (Part A) NOT REGULATED On air waybill, write: "Not Restricted, as per Special Provisions A197"	

**Special Provision A197**: These substances when transported in single or combination packagings containing net quantity per single or inner packaging of less than 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

#### Sea

Refer to IMDG regulations.		
Sizes 5 L and under 8332-25ML, 8332-50ML (Part A) NOT REGULATED per 2.10.2.7		
2.10.2.7: Marine pollutants packaged	in single or combination packagings containing a	

2.10.2.7: Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to any other provision of this Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also meeting the criteria for inclusion in another hazard class, all provisions of this Code relevant to any additional hazards continue to apply.

*Note:* Shipper must be appropriately <u>trained and certified</u> before involvement with the transport of dangerous goods.

8332-A

(PART A)

## **Section 15: Regulatory Information**

## Canada

## **Domestic Substance List (DSL)/Non-Domestic Substance Lists (NDSL)**

All hazardous ingredients are listed on the DSL/NDSL.

#### Hazardous Products Act (R.S.C., 1985, c. H-3)

The safety data sheet and label comply with the Hazardous Product Act and WHMIS 2015.

#### USA

#### Other Classifications

#### **HMIS® RATING**

HEALTH:	*	2
FLAMMABILITY:		1
PHYSICAL HAZARD:		0
PERSONAL PROTECTION:		

#### NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:

0 (Low or none); 1 (Slight); 2 (Moderate); 3 (Serious); 4 (Severe)

## **CAA** (Clean Air Act, USA)

This product does not contain any class 1 ozone depleting substances.

This product does not contain any class 2 ozone depleting substances.

This product does not contain substances that are listed as hazardous air pollutants.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain substances that are subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

**TSCA** (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

**California Proposition 65** (Chemicals known to cause cancer or reproductive toxicity, USA)

This product does not contain any listed substances in California.

Section continued on the next page

Page 12 of 14



SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

## **Europe**

**RoHS** (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

**WEEE** (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

## **Section 16: Other Information**

**Prepared by the** Regulatory Affairs Department

**Date of Revision** 07 August 2020 **Supersedes** 09 March 2020

**Reason for Changes:** Added new part number.

#### Reference

- 1) ACGIH 2017 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents & biological exposure indices, American Conference of Governmental of Industrial Hygienist Cincinnati, OH (2017).
- 2) All toxicological data were checked against the RTECS (Registry of Toxic Effects of Chemical Substances®)

#### **Abbreviations**

American Conference of Governmental Industrial Hygienists (USA)
Half maximal effective concentration
Half maximal effective loading
No observable effect loading ratio
Globally Harmonized System of Classification of Labeling of Chemicals
Lethal Concentration 50%
Lowest published lethal concentration
Lethal Dose 50%
Permissible Exposure Limit
Short-Term Exposure Limit
Lowest published toxic concentration
Time Weighted Average
Volatile Organic Content

Section continued on the next page

Page **13** of **14** 



SAI Global File #004008 Burlington, Ontario, Canada

8332-A (PART A)

**Technical Queries** Contact us regarding any questions, improvement suggestions, or

problems with this product. Application notes, instructions, and  ${\sf FAQs}$ 

are located at <a href="www.mgchemicals.com">www.mgchemicals.com</a>.

Email: <a href="mailto:support@mgchemicals.com">support@mgchemicals.com</a>

Phone: +1-905-331-1396

Mailing Addresses Manufacturing & Support Head Office

1210 Corporate Drive 9347–193rd Street

Burlington, Ontario, Canada Surrey, British Columbia, Canada

L7L 5R6 V4N 4E7

**Disclaimer** This safety data

This safety data sheet is provided as an information resource only. *M.G. Chemicals, Ltd.* believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to query and verify any information seeming suspect where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, regional,

national, and international regulations.