

Page 1/10

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.04.2024

Version number 3

Revision: 19.04.2024

# 1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: 8329TFF-A · Other Means of Identification: Thermally Conductive Epoxy Adhesive · Related Part Number: 8329TFF-A, 8329TFF-A-25ML, 8329TFF-A-50ML · UFI: 25F0-D0HN-S00R-JFM2 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Thermally conductive adhesive resin. · 1.3 Details of the supplier of the safety data sheet M.G. Chemicals Ltd. · Manufacturer/Supplier: MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772 MG Chemicals Heame House, 23 Bliston Street Sedgely Dudley DY3 1JA. UNITED KINGDOM +(44) 1663 362888 sales@mgchemicals.com MG Chemicalst Ltd. Level 2, Vision Exchange, Building Territorials Street, Zone 1, Central Business, District, Birkirkara CBD 1070. MALTA · Further information obtainable from: sds@mgchemicals.com · 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 Verisk 3E (Access code: 335388), +(44) 20 3514787 Other emergency telephone numbers: +(0) 800 680 0425 For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA-Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388) For emergencies involving the transport of dangerous goods; 24/7 service CANADA-Call CANUTEC collect at +1-613-996-6666 or \*666 on cellular phones GB (Contd. on page 2)

Version number 3 Printing date 22.04.2024 Revision: 19.04.2024 Trade name: 8329TFF-A (Contd. of page 1) 2 Hazards identification 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard H361 Suspected of damaging fertility or the unborn child. Repr. 2 GHS09 environment Aquatic Acute 1 H400 Very toxic to aquatic life. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07 H315 Causes skin irritation. Skin Irrit. 2 Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS07 GHS08 GHS09 · Signal word Warning · Hazard-determining components of labelling: phenol, polymer with formaldehyde, glycidyl ether boron zinc hydroxide oxide 1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P102 Keep out of reach of children. P201 Obtain special instructions before use. Wear protective gloves, protective clothing, and eye protection. P280 P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. Store locked up. P405 P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

(Contd. on page 3)

(Contd. of page 2)

according to Regulation	(EC) No	1907/2006,	Article 31
-------------------------	---------	------------	------------

Printing date 22.04.2024	Version number 3	Revision: 19.04.2024

Trade name: 8329TFF-A

- 2.3 Other hazards
- · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· Determination of endocrine-disrupting properties

Endocrine Disruptor substance ≥ 0.1% = none

## 3 Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compo	onents:	
CAS: 28064-14-4	phenol, polymer with formaldehyde, glycidyl ether Aquatic Chronic 2, H411;	36.0%
CAS: 138265-88-0	boron zinc hydroxide oxide Repr. 2, H361;    Aquatic Acute 1, H400; Aquatic Chronic 1, H410	7.0%
EINECS: 241-536-7	1,3-bis(2,3-epoxypropoxy)-2,2-dimethylpropane	3.0%
EINECS: 244-492-7	aluminium hydroxide <b>ation:</b> For the wording of the listed hazard phrases refer to section	54.0% 16

## 4 First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# 5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.

(Contd. on page 4)

(Contd. of page 3)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.04.2024 Version number 3 Revision: 19.04.2024

Trade name: 8329TFF-A

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

- · 7.1 Precautions for safe handling Open and handle receptacle with care.
- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- Respiratory protection: Not required.

(Contd. on page 5)

Printing date 22.04.2024 Version number 3

Revision: 19.04.2024

(Contd. of page 4)

#### Trade name: 8329TFF-A

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

## 9 Physical and chemical properties

General Information Physical state	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	150 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	150 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity at 20 °C	20.5 mm²/s
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log	,
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.71 g/cm <sup>3</sup>
•	5 (C

(Contd. on page 6)

according	to	Regulation	(FC)	No	1907/2006	Article 31
accorunig		ricgulation	$(L \cup)$		1301/2000.	

according to Regulation (EC) No 1907/2006, Article 31					
Printing date 22.04.2024	Version number 3	Revision: 19.04.2024			
Trade name: 8329TFF-A					
		(Contd. of page 5)			
Relative density	Not determined.				
· Vapour density	Not determined.				
<ul> <li>9.2 Other information</li> </ul>					
· Appearance:					
· Form:	Fluid				
<ul> <li>Important information on p</li> </ul>	protection of				
health and environment, and					
Ignition temperature:	Product is not sel	lfigniting.			
Explosive properties:		present an explosion hazard.			
Solvent content:					
· VOC (EC)	0.00 %				
· Solids content:	54.0 %				
Change in condition					
· Evaporation rate	Not determined.				
Information with regard to ph	ysical hazard				
classes					
Explosives	Void				
Flammable gases	Void				
Aerosols	Void				
• Oxidising gases	Void				
· Gases under pressure	Void				
· Flammable liquids	Void				
Flammable solids	Void				
Self-reactive substances and					
Pyrophoric liquids	Void				
Pyrophoric solids	Void				
Self-heating substances and					
Substances and mixtures, wh					
flammable gases in contact w					
· Oxidising liquids	Void				
Oxidising solids	Void				
Organic peroxides	Void				
• Corrosive to metals	Void				
<ul> <li>Desensitised explosives</li> </ul>	Void				

# 10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.

(Contd. on page 7)

Printing date 22.04.2024

Version number 3

Revision: 19.04.2024

Trade name: 8329TFF-A

(Contd. of page 6)

• **Respiratory or skin sensitisation** May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Suspected of damaging fertility or the unborn child.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

# 12 Ecological information

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Remark:

Very toxic for fish

Toxic for fish

· Additional ecological information:

#### General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Toxic for aquatic organisms

# 13 Disposal considerations

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP4 Irritant - skin irritation and eye damage

HP10 Toxic for reproduction

HP13 Sensitising

HP14 Ecotoxic

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

Revision: 19.04.2024 Printing date 22.04.2024 Version number 3 Trade name: 8329TFF-A (Contd. of page 7) · Recommended cleansing agents: Water, if necessary together with cleansing agents. 14 Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN3082 14.2 UN proper shipping name · ADR NOT REGULATED by Ground ADR Special Provision 375 for sizes 5L or less. 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (phenol, polymer with formaldehyde, glycidyl ether, boron zinc hydroxide oxide) · IMDG NOT REGULATED by Sea IMDG according to 2.10.2.7 for sizes of 5L or less. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (phenol, polymer with formaldehyde, glycidyl ether, boron zinc hydroxide oxide), MARINE POLLUTANT ·IATA NOT REGULATED by Air IATA Special Provision A197 for sizes 5L or less. Environmentally hazardous substance, liquid, n.o.s. (phenol, polymer with formaldehyde, glycidyl ether, boron zinc hydroxide oxide) · 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 14.4 Packing group · ADR, IMDG, IATA ||| · 14.5 Environmental hazards: · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Hazard identification number (Kemler code): 90 · EMS Number: F-A,S-F Stowage Category Α · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: · ADR Limited quantities (LQ) 5L Code: E1 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml

(Contd. on page 9)

Printing date 22.04.2024	Version number 3	Revision: 19.04.2024
Trade name: 8329TFF-A		
		(Contd. of page 8)
	Maximum net qu	uantity per outer packaging:
	1000 ml	
<ul> <li>Transport category</li> </ul>	3	
<ul> <li>Tunnel restriction code</li> </ul>	(-)	
· IMDG		
Limited quantities (LQ)	51	
Excepted quantities (EQ)	Code: E1	
		antity per inner packaging: 30
		uantity per outer packaging:
UN "Model Regulation":		ONMENTALLY HAZARDOUS
ort mouor nogulation i		LIQUID, N.O.S. (PHENOL,
		TTH FORMALDEHYDE,
		THER, BORON ZINC
	HYDROXIDE OXI	
	ITT DITOXIDE OXI	DL), 9, 11

#### 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poisons Act · Regulated explosives precursors None of the ingredients is listed. · Regulated poisons None of the ingredients is listed. · Reportable explosives precursors None of the ingredients is listed. Reportable poisons None of the ingredients is listed. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category E1 Hazardous to the Aquatic Environment • Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 • Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. · Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. - Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)

GB

Printing date 22.04.2024

Version number 3

Revision: 19.04.2024

(Contd. of page 9)

GR

Trade name: 8329TFF-A

#### 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H361 Suspected of damaging fertility or the unborn child. H400 Verv toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: Product safety department.

· Contact: sds@mgchemicals.com

· Date of previous version: 17.01.2024

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Repr. 2: Reproductive toxicity - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • \* Data compared to the previous version altered.