

Page 1/9

according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 1

Revision: 05.02.2024

1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: 844WB · Other Means of Identification: Translucent ESD Coating · Related Part Number: 844WB-Liquid, 844WB-850ML, 844WB-3.6L · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Water based electrostatic dissipative coating · Uses advised against Not applicable • 1.3 Details of the supplier of the safety data sheet M.G. Chemicals Ltd. Manufacturer/Supplier: MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772 MG Chemicals Heame House, 23 Bliston Street Sedgely Dudley DY3 1JA. UNITED KINGDOM +(44) 1663 362888 sales@mgchemicals.com MG Chemicalst Ltd. Level 2, Vision Exchange, Building Territorials Street, Zone 1, Central Business, District, Birkirkara CBD 1070. MALTA · Further information obtainable from: sds@mgchemicals.com · 1.4 Emergency telephone number: Verisk 3E (Access code: 335388), +(44) 20 3514787 Other emergency telephone numbers: +(0) 800 680 0425 Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA-Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388) For emergencies involving the transport of dangerous goods; 24/7 service CANADA-Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones GR

(Contd. on page 2)

according to 1907/2006/EC, Article 31 Version number 1

Revision: 05.02.2024

Trade name: 844WB

Printing date 05.02.2024

(Contd. of page 1)

21 Classificat	ion of the substance or mixture
	according to Regulation (EC) No 1272/2008
\wedge	
GHSC)7
\sim	
Skin Irrit. 2 H	315 Causes skin irritation.
	319 Causes serious eye irritation.
-	317 May cause an allergic skin reaction.
SIUI SE 3 H	335 May cause respiratory irritation.
· 2.2 Label elem	
	ording to Regulation (EC) No 1272/2008
	classified and labelled according to the GB CLP regulation.
· Hazard pictog	rams
GHS07	
. Signal word W	larning
· Signal word W · Hazard statem	•
· Hazard statem	ents
• Hazard statem H315 Causes s	ents kin irritation.
• Hazard statem H315 Causes s H319 Causes s	ents skin irritation. serious eye irritation.
 Hazard statem H315 Causes s H319 Causes s H317 May cause 	e ents skin irritation. serious eye irritation. se an allergic skin reaction.
 Hazard statem H315 Causes s H319 Causes s H317 May cause H335 May cause 	eents skin irritation. serious eye irritation. se an allergic skin reaction. se respiratory irritation.
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary 	enents skin irritation. serious eye irritation. se an allergic skin reaction. se respiratory irritation. statements
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 	nents skin irritation. serious eye irritation. se an allergic skin reaction. se respiratory irritation. statements Keep out of reach of children.
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 	nents skin irritation. serious eye irritation. se an allergic skin reaction. se respiratory irritation. se respiratory irritation. statements Keep out of reach of children. Avoid breathing mist/vapours/spray.
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 P280 	The entropy of the second seco
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 P280 	nents skin irritation. serious eye irritation. se an allergic skin reaction. se respiratory irritation. statements Keep out of reach of children. Avoid breathing mist/vapours/spray. Wear protective gloves and eye protection. 338 IF IN EYES: Rinse cautiously with water for several minutes. Remo
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 P280 P305+P351+P35 	 Section Section. Section Section Sec
 Hazard statem H315 Causes s H319 Causes s H317 May cause H335 May cause Precautionary P102 P261 P261 P280 P305+P351+P3 P337+P313 	 Section Section Secting Section Section Section Section Section Section Section Secti
 Hazard statem H315 Causes s H319 Causes s H317 May cause H335 May cause Precautionary P102 P261 P280 P305+P351+P3 P337+P313 P405 	 Section Section Sectin Section Section Section Section Section Section Section Sectio
 Hazard statem H315 Causes s H319 Causes s H317 May cause H335 May cause Precautionary P102 P261 P261 P280 P305+P351+P3 P337+P313 	 Section Section Secting Section Section Section Section Section Section Section Secti
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 P280 P305+P351+P3 P337+P313 P405 P501 	 Section Section Secti
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 P280 P305+P351+P3 P337+P313 P405 P501 2.3 Other haza 	 Section Section Secti
 Hazard statem H315 Causes s H319 Causes s H317 May cause H335 May cause Precautionary P102 P261 P280 P305+P351+P3 P305+P351+P3 P337+P313 P405 P501 2.3 Other haza Results of PB3 	 Section Section Secti
 Hazard statem H315 Causes s H319 Causes s H317 May caus H335 May caus Precautionary P102 P261 P280 P305+P351+P3 P337+P313 P405 P501 2.3 Other haza 	 Section Section Secti

3 Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 05.02.2024	Version number 1	Revision: 05.02.2024
Frade name: 844WB		
		(Contd. of page 2)
· Dangerous components:		
CAS: 121-44-8 triethyla	amine	2.0%
H302; J	m. Liq. 2, H225; 📀 Skin Corr. 1A, H Acute Tox. 4, H312; Acute Tox. 4, H	332
	c concentration limit: STOT SE 3; H	
	nts and components below classi	
•	7,9-tetramethyl-5-decyne-4,7-diol	0.1%
🤣 Eye Dam. 1, 1	H318; Aquatic Chronic 3, H412 or the wording of the listed hazard pl	
	or the wording of the listed hazard pi	nrases refer to section 16.
4 First aid measures		
	-	
4.1 Description of first aid	measures	
• After inhalation:	ura call for a doctor	
Supply fresh air and to be s	place patient stably in side position	for transportation
	iately wash with water and soap and	
· After eye contact:	alery wash with water and soap and	i ninse thoroughly.
	eral minutes under running water. I	f symptoms persist, consult a
doctor.	3	
A.C. 11 1 1/ 1/		

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

- *Suitable extinguishing agents:* Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Contd. on page 4)

- GB

according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 1

Revision: 05.02.2024

(Contd. of page 3)

Trade name: 844WB

See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

121-44-8 triethylamine

WEL Short-term value: 17 mg/m³, 4 ppm Long-term value: 8 mg/m³, 2 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

according to 1907/2006/EC, Article 31 Version number 1

Printing date 05.02.2024

Revision: 05.02.2024

Trade name: 844WB (Contd. of page 4) · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Tightly sealed goggles 9 Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: Characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range >100 °C · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. Not determined. · Upper: >100 °C · Flash point: · Decomposition temperature: Not determined. · pH Not determined. · Viscosity: · Kinematic viscosity at 20 °C >20.5 mm²/s · Dynamic: Not determined. · Solubility · water: Not miscible or difficult to mix. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined. · Density and/or relative density Density at 20 °C: 1.03 g/cm³ · Relative density Not determined. Bulk density: 726 kg/m³ · Vapour density Not determined. 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. Solvent content: · VOC (EC) 2.00 % · Solids content: 98.0 % · Change in condition · Evaporation rate Not determined. (Contd. on page 6)

GB

Printing date 05.02.2024 Version number 1

Revision: 05.02.2024

Trade name: 844WB	Trad	le nai	me: 8	844V	VВ
-------------------	------	--------	-------	------	----

		(Contd. of page
Information with regard to physical haza	rd	
classes	-	
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	23,000 mg/kg (rat)
	1050	00 500

Dermal LD50 28,500 mg/kg (rabbit)

Inhalative LC50/4 h 550 mg/l

121-44-8 triethylamine

Oral	LD50	460 m	ig/kg	ı (ra	at)	
_						

Dermal LD50 570 mg/kg (rabbit)

- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.02.2024

Version number 1

Revision: 05.02.2024

Trade name: 844WB

- (Contd. of page 6) · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP4 Irritant - skin irritation and eye damage

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

 14.1 UN number or ID number 	
· ADR, IMDG, IATA	not regulated
14.2 UN proper shipping name	C
ADR, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
Class	not regulated
14.4 Packing group	C
· ADR, IMDG, IĂTA	not regulated
14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user 	Not applicable.

(Contd. on page 8)

GB

ccording to 1907/2006/EC, Article	31
-----------------------------------	----

a Revision: 05.02.2024 Printing date 05.02.2024 Version number 1 Trade name: 844WB (Contd. of page 7) · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. **UN "Model Regulation":** not regulated 15 Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Poisons Act · Regulated explosives precursors None of the ingredients is listed. · Regulated poisons None of the ingredients is listed. · Reportable explosives precursors None of the ingredients is listed. · Reportable poisons None of the ingredients is listed. · Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

(Contd. on page 9)

GB

according to 1907/2006/EC, Article 31

Trade name: 844WB (Contd. of page 1412 Harmful to aquatic life with long lasting effects. • Department issuing SDS: Product safety department. • Contact: sds@mgchemicals.com • Date of previous version: 05.02.2024 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) UCS0: Lethal concentration, 50 percent DS1: Lethal concentration, 50 percent DS0: Lethal dose, 50 percent PBT: Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Lig. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 14: Skin corrosion/irritation – Category 1 Skin Corr. 14: 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensilisation – Category 2	nting date 05.02.2024	Version number 1	Revision: 05.02.2024
 H412 Harmful to aquatic life with long lasting effects. Department issuing SDS: Product safety department. Contact: sds@mgchemicals.com Date of previous version: 05.02.2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreet Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 	de name: 844WB		
 Department issuing SDS: Product safety department. Contact: sds@mgchemicals.com Date of previous version: 05.02.2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity = Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 	H412 Harmful to aquatic life wit	h long lasting offects	(Contd. of page 8)
 Contact: sds@mgchemicals.com Date of previous version: 05.02.2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 	11412 Hammu to aquatic life wit	Tiong lasting enects.	
 Contact: sds@mgchemicals.com Date of previous version: 05.02.2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 	· Department issuing SDS: Pro	duct safety department.	
 Date of previous version: 05.02.2024 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Miritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Inrit. 2: Serious eye damage/eye irritation – Category 2 			
 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 			
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreen Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
 IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 			ises par route (European Agreemen
IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2		0	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	VOC: Volatile Organic Compounds (USA	, EU)	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
ATE: Acute toxicity estimate values Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	, , ,	nulative	
Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2		n/ 2	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
Skin Irrit. 2: Skin corrosion/irritation – Category Ź Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2			
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3			
* Data compared to the previous version altered.			