

Page 1/9

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.03.2024 Version number 6 (replaces version 5) Revision: 14.03.2024

1.1 Product identifier	
Trade name: <u>8616</u> Other Means of Identification: Super Thermal Grease II	
Related Part Number: 8616, 8616-4G, 8616-3ML, 8616-25ML, 8616-85ML, 8616-1P, 8616 16.5L 1.2 Relevant identified uses of the substance or mixture and uses Not available Application of the substance / the mixture	
Thermal interface grease for improving heat flow between the CPU and	d heat sink.
1.3 Details of the supplier of the safety data sheet M.G. Chemicals Manufacturer/Supplier:	Ltd.
MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772	
MG Chemicals Heame House, 23 Bliston Street Sedgely Dudley DY3 1JA. UNITED KINGDOM +(44) 1663 362888 sales@mgchemicals.com	
MG Chemicalst Ltd. Level 2, Vision Exchange, Building Territorials Street, Zone 1, Central Business, District, Birkirkara CBD 1070, MALTA	
<i>Further information obtainable from:</i> sds@mgchemicals.com 1.4 Emergency telephone number: Verisk 3E (Access code: 335388), +(44) 20 3514787 Other emergency telephone numbers: +(0) 800 680 0425 Members of the public seeking specific information on poisons should of In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111	contact:
For hazardous material incidents ONLY (leaks, spills, fires, exposures of USA or CANADA-Call Verisk 3E at +1-866-519-4752 or +1-760-476 code: 335388)	
For emergencies involving the transport of dangerous goods; 24/7 serv	vice

Frade name: 8616		
		(Contd. of page 1)
2 Hazards identificat	ion	
2.1 Classification of the Classification according	e substance or mixture og to Regulation (EC) No 1272/2008	
GHS09 enviror	nment	
Aquatic Acute 1 H400	Very toxic to aquatic life.	
Aquatic Chronic 1 H410	Very toxic to aquatic life with long lasting e	ffects.
	Regulation (EC) No 1272/2008 and labelled according to the GB CLP regu	ulation.
GHS09		
 Signal word Warning Hazard statements 		
	tic life with long lasting effects.	
Precautionary stateme		
P273 Avoid release to th P391 Collect spillage.	e environment.	
	ts/container in accordance with local/regi	ional/national/international
· 2.3 Other hazards		
Results of PBT and vP PBT: Not applicable.	vB assessment	
 vPvB: Not applicable. 		
	crine-disrupting properties	
Endocrine Disruptor sub	stance ≥ 0.1% = none	
0.0		
3 Composition/infor	nation on ingredients	
· 3.2 Mixtures		

· Dangerous components:

CAS: 1344-28-1	aluminium oxide	42.0%
EINECS: 215-691-6	S substance with a Community workplace exposure limit	
CAS: 1314-13-2	zinc oxide	37.0%
EINECS: 215-222-5	5 🔖 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Additional information	ation: For the wording of the listed hazard phrases refer to section	16.

4 First aid measures

· 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

GB

(Contd. of page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.03.2024	Version number 6 (replaces version 5)	Revision: 14.03.2024
--------------------------	---------------------------------------	----------------------

Trade name: 8616

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
 1344-28-1 aluminium oxide
- WEL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

(Contd. on page 4)

– GB

Trade name: 8616		
Printing date 14.03.2024	Version number 6 (replaces version 5)	Revision: 14.03.2024

Additional informations That is the	(Contd. of pa
Additional information: The lists valid	I during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No	
Individual protection measures, such	
General protective and hygienic mea	
Wash hands before breaks and at the e	end of work.
Respiratory protection: Not required.	
Hand protection	
	eable and resistant to the product/ the substance/
preparation.	ion to the alove material can be given for the proc
the preparation/ the chemical mixture.	ion to the glove material can be given for the proc
	sideration of the penetration times, rates of diffu
and the degradation	Sucration of the periodation times, rates of time
Material of gloves	
	es not only depend on the material, but also on fur
	anufacturer to manufacturer. As the product
	resistance of the glove material can not be calcula
in advance and has therefore to be che	
Penetration time of glove material	,
	be found out by the manufacturer of the protect
gloves and has to be observed.	- /
Eye/face protection Not required.	
Physical and chemical propert 9.1 Information on basic physical and	
9.1 Information on basic physical and	
9.1 Information on basic physical and General Information	
9.1 Information on basic physical and General Information Physical state Colour:	d chemical properties Solid According to product specification
9.1 Information on basic physical and General Information Physical state Colour: Odour:	d chemical properties Solid According to product specification Characteristic
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour: Odour threshold:	d chemical properties Solid According to product specification Characteristic Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. Undetermined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. 290 ℃ Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. 290 ℃ Not determined. Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. 290 °C Not determined. Not determined. Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃ Not determined. Not determined. Not determined. Not determined. Not applicable.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃ Not determined. Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃ Not determined. Not determined. Not determined. Not determined. Not applicable.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃ Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable.
 9.1 Information on basic physical and General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity 	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃ Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable.
9.1 Information on basic physical and General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 ℃ Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. 290 °C Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Not applicable.
9.1 Information on basic physical and General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. 290 °C Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble. (log
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water value)	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 °C Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble. (log Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water value) Vapour pressure:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 °C Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble. Soluble.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water value) Vapour pressure: Density and/or relative density	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. Undetermined. 290 °C Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble. (log Not determined. Not applicable. Not applicable. Soluble.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water value) Vapour pressure: Density and/or relative density Density at 20 °C:	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. and 290 °C Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble. (log Not determined.
9.1 Information on basic physical and General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point a boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water	d chemical properties Solid According to product specification Characteristic Not determined. Undetermined. 290 °C Not determined. Not determined. Not determined. Not determined. Not applicable. Not applicable. Not applicable. Soluble. (log (log (log Log g/cm ³

Printing date 14.03.2024	Version number 6 (replaces version 5)	Revision: 14.03.2024
--------------------------	---------------------------------------	----------------------

Trade	name:	8616
-------	-------	------

 Vapour density Particle characteristics See section 3. 	(Contd. of page 4) Not applicable.
· 9.2 Other information	
· Appearance:	
· Form:	Solid
 Important information on protection of 	f
health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
 Solvent content: 	
 Solids content: 	100.0 %
 Change in condition 	
 Evaporation rate 	Not applicable.
 Information with regard to physical hazar 	d
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
 Gases under pressure 	Void
· Flammable liquids	Void
· Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
Organic peroxides Corrective to metale	Void Void
Corrosive to metals	Void Void
· Desensitised explosives	VOIU

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition** / **conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

— GB

(Contd. of page 5)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.03.2024 Ve	ersion number 6 (replaces version 5)	Revision: 14.03.2024
-----------------------------	--------------------------------------	----------------------

Trade name: 8616

- · LD/LC50 values relevant for classification:
- 1314-13-2 zinc oxide
- Oral LD50 >5,000 mg/kg (rat)
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Verv toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

13 Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP14 Ecotoxic

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

GB

Printing date 14.03.2024 Version number 6 (replaces version 5) Revision: 14.03.2024 Trade name: 8616 (Contd. of page 6) · Recommended cleansing agents: Water, if necessary together with cleansing agents. 14 Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN3077 14.2 UN proper shipping name · ADR NOT REGULATED by Ground ADR Special Provision 375 for sizes 5kg or less. 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide) · IMDG NOT IMDG-regulated for sea freight according to 2.10.2.7 for sizes up to 5 kg. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide), MARINE POLLUTANT ·IATA NOT REGULATED by Air IATA Special Provision A197 for sizes 5kg or less. Environmentally hazardous substance, solid, n.o.s. (zinc oxide) 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 · 14.4 Packing group $\parallel \parallel$ · ADR, IMDG, IATA · 14.5 Environmental hazards: · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Hazard identification number (Kemler code): 90 EMS Number: F-A,S-F Stowage Category Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: · ADR · Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g (Contd. on page 8) GB

acconung		
Printing date 14.03.2024	Version number 6 (replaces version 5)	Revision: 14.03.2024
Trade name: 8616		
		(Contd. of page 7)
 Transport category 	3	
 Tunnel restriction code 	(-)	
·IMDG		
Limited quantities (LQ)	5 kg	
• Excepted quantities (EQ		
	•	per inner packaging: 30 g
		ty per outer packaging
	1000 g	ly per outer publicaging
· UN "Model Regulation"	0	ENTALLY HAZARDOUS
		N.O.S. (ZINC OXIDE), 9
	III	14.0.3. (ZINC OXIDE), 9
	111	

	ce or mixture
Poisons Regulat	Act ed explosives precursors
None of	the ingredients is listed. ed poisons
None of	the ingredients is listed. ble explosives precursors
	the ingredients is listed. ble poisons
None of	the ingredients is listed.
Seveso	dangerous substances - ANNEX I None of the ingredients is listed. category E1 Hazardous to the Aquatic Environment
Qualifyi DIRECT	ng quantity (tonnes) for the application of lower-tier requirements 100 t ng quantity (tonnes) for the application of upper-tier requirements 200 t IVE 2011/65/EU on the restriction of the use of certain hazardous substances II and electronic equipment – Annex II
Qualifyin DIRECTI electrica None of REGULA Annex I	ng quantity (tonnes) for the application of upper-tier requirements 200 t
Qualifyin DIRECT electrica None of REGULA Annex I of licens None of	ng quantity (tonnes) for the application of upper-tier requirements 200 t IVE 2011/65/EU on the restriction of the use of certain hazardous substances II and electronic equipment – Annex II the ingredients is listed. ATION (EU) 2019/1148 - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpo
Qualifyin DIRECT electrica None of REGULA Annex I of licens None of Annex II None of	ng quantity (tonnes) for the application of upper-tier requirements 200 t IVE 2011/65/EU on the restriction of the use of certain hazardous substances al and electronic equipment – Annex II the ingredients is listed. ATION (EU) 2019/1148 - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpo sing under Article 5(3)) the ingredients is listed.
Qualifyin DIRECT electrica None of REGULA Annex I of licens None of Annex II None of Regulati None of Regulat	Ing quantity (tonnes) for the application of upper-tier requirements 200 t IVE 2011/65/EU on the restriction of the use of certain hazardous substances and electronic equipment – Annex II the ingredients is listed. ATION (EU) 2019/1148 - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpo sing under Article 5(3)) the ingredients is listed. - REPORTABLE EXPLOSIVES PRECURSORS the ingredients is listed.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

GB

GB

oording to Pogulation (EC) No 1007/2006 Article 21

according to Regulation (EC) No 1907/2006, Article 31		
Printing date 14.03.2024	Version number 6 (replaces version 5)	Revision: 14.03.2024
Trade name: 8616		
		(Contd. of page 8)
· Relevant phrases		
H400 Very toxic to aqu	latic life.	
H410 Very toxic to aqu	atic life with long lasting effects.	
· Department issuing S	SDS: Product safety department.	
· Contact: sds@mgche		
· Date of previous vers		
· Version number of p		
· Abbreviations and ad		
	nsport international des marchandises dangereuses p	oar route (European Agreement
	Carriage of Dangerous Goods by Road)	
IMDG: International Maritime IATA: International Air Transp		
,	System of Classification and Labelling of Chemicals	
	of Existing Commercial Chemical Substances	
ELINCS: European List of No		
	rvice (division of the American Chemical Society)	
LC50: Lethal concentration, 5 LD50: Lethal dose, 50 percer		
PBT: Persistent, Bioaccumul		
vPvB very Persistent and ve	erv Bioaccumulative	

vPvB: very Persistent and very Bioaccumulative Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 • * **Data compared to the previous version altered.**