

Revision Date: 05/18/2018

### ECC3051S

# SAFETY DATA SHEET

# 1. Identification

Product identifier: ECC3051S

Other means of identification

Synonyms: Silicone

Recommended use and restriction on use

Recommended use: Industrial use Restrictions on use: Not known.

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials - Japan LLC

133 Nishishin-machi, Ohta-shi

Ohta-shi 10 3738505

Contact person : commercial.services@momentive.com

Telephone : General information

+1-800-295-2392

**Emergency telephone** 

number

Supplier : CHEMTREC

1-800-424-9300

# 2. Hazard(s) identification

# **Hazard Classification**

### **Physical Hazards**

Flammable liquids Category 3

# **Unknown toxicity - Health**

Acute toxicity, oral	0 %
Acute toxicity, dermal	0 %
Acute toxicity, inhalation, vapor	0 %
Acute toxicity, inhalation, dust or mist	0 %

#### **Label Elements**

# **Hazard Symbol:**

SDS\_US 1/13



Revision Date: 05/18/2018

### ECC3051S



Signal Word: Warning

**Hazard Statement:** H226; Flammable liquid and vapor.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

[electrical/ventilating/lighting/...] equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective

clothing/eye protection/face protection.

Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower]. In case of fire: Use alcohol resistant foam for

extinction.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

Substance(s) formed under the conditions of use:

Generates methanol during cure.

# 3. Composition/information on ingredients

# Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Organotitanium compound	Trade secret	1 - <5%	No data available.
Polyalkylalkoxysiloxane	Trade secret	70 - 80%	No data available.
Dimethyl Silicone Oil	Trade secret	10 - 20%	No data available.

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information: \*\* A specific chemical identity and/or percentage of composition has been

SDS\_US 2/13



Revision Date: 05/18/2018

### ECC3051S

withheld as a trade secret.

# 4. First-aid measures

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Do not give

victim anything to drink if he is unconscious. Get medical attention if any

discomfort continues.

**Inhalation:** If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

**Skin Contact:** Wash with soap and water. Get medical attention if symptoms occur.

**Eye contact:** In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

**Symptoms:** Product may hydrolyse upon contact with body fluids in the gastrointestinal

tract to produce additional methanol; therefore, consider the

signs/symptoms of methanol poisoning and also observe the known latency

period of several days!

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** Treatment is symptomatic and supportive.

# 5. Fire-fighting measures

General Fire Hazards: Prevent runoff from fire control or dilution from entering streams, sewers, or

drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

SDS\_US 3/13



Revision Date: 05/18/2018

#### ECC3051S

Specific hazards arising from the chemical:

Reacts with water liberating small amounts of methanol. Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger. In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

### Special protective equipment and precautions for firefighters

Special fire fighting procedures:

Move container from fire area if it can be done without risk. Use water spray

to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Keep container closed. Avoid contact with skin and eyes. Keep out of reach of children. May generate formaldehyde at temperatures greater than 150 C(300 F). See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**Notification Procedures:** 

In case of spills, beware of slippery floors and surfaces. Stop the flow of material, if this is without risk. Keep unprotected persons away. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is expected; material has a flash point below 200 F. Do not get in eyes, on skin, on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities:

Store in original tightly closed container. Keep in a cool, ventilated location far from heat source and flame Keep away from food, drink and animal feeding stuffs.

# 8. Exposure controls/personal protection

#### Control Parameters

# **Occupational Exposure Limits**

None of the components have assigned exposure limits.

SDS US 4/13



Revision Date: 05/18/2018

### ECC3051S

**Appropriate Engineering** 

**Controls** 

Eye wash facilities and emergency shower must be available when

handling this product.

Individual protection measures, such as personal protective equipment

**General information:** Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

**Eye/face protection:** Safety glasses with side shields

**Skin Protection** 

Hand Protection: Chemical resistant gloves

**Other:** Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to

dust/fume at levels exceeding the exposure limits.

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat or drink.

# 9. Physical and chemical properties

**Appearance** 

Physical state:liquidForm:liquidColor:Translucent

Odor: Faint

Odor threshold:

pH:

No data available.

Flash Point: 36.3 °C (Tagliabue Closed Cup)

**Evaporation rate:**No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

Vapor pressure: No data available.

Vapor density:No data available.Density:0.98 g/cm3 (23 °C)

SDS\_US 5/13



Revision Date: 05/18/2018

### ECC3051S

No data available. Relative density:

Solubility(ies)

Solubility in water: immiscible

Solubility (other): No data available. Partition coefficient (n-octanol/water) Log No data available.

Pow:

No data available. **Auto-ignition temperature: Decomposition temperature:** No data available. SADT: No data available. 500 mPa·s (23 °C) Viscosity, dynamic: Viscosity, kinematic: No data available. VOC: No data available.

# 10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

Conditions to avoid: Keep away from sources of ignition - No smoking. Heat or high

temperature. Keep away from moisture.

**Incompatible Materials:** Moisture. Strong Acids, Strong Bases

**Hazardous Decomposition** 

**Products:** 

Generates methanol during cure. Carbon dioxide Silicon dioxide.

Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to

oxidative degradation.

# 11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

**Skin Contact:** No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

**Skin Contact:** No data available.

SDS\_US 6/13



Revision Date: 05/18/2018

### ECC3051S

**Eye contact:** No data available.

# Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Dimethyl Silicone Oil LD 50 (Rat, No data available.): > 5,000 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

SDS\_US 7/13



Revision Date: 05/18/2018

### ECC3051S

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

# Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Dimethyl Silicone Oil LC0 (Leuciscus idus, 4 d): 200 mg/l

**Aquatic Invertebrates** 

**Product:** No data available.

# **Toxicity to Aquatic Plants**

SDS\_US 8/13



Revision Date: 05/18/2018

### ECC3051S

**Product:** No data available.

**Persistence and Degradability** 

**Biodegradation** 

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)
Product:
No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Organotitanium compound No data available.
Polyalkylalkoxysiloxane No data available.
Dimethyl Silicone Oil No data available.

Other adverse effects: No data available.

# 13. Disposal considerations

**General information:** The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local

regulations.

**Contaminated Packaging:** Dispose of as unused product.

SDS\_US 9/13



Revision Date: 05/18/2018

# ECC3051S

# 14. Transport information

DOT

UN Number: UN 1993

UN Proper Shipping Name: Flammable liquids, n.o.s.(Organofunctional silane, Organotitanium

compound)

Transport Hazard Class(es)

Class: 3
Label(s): 3
Packing Group: III
Marine Pollutant: No

**IMDG** 

UN Number: UN 1993

UN Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. (Organofunctional silane,

Organotitanium compound)

Transport Hazard Class(es)

Class: 3 Label(s): 3

EmS No.: F-E, S-E

Packing Group: III
Marine Pollutant: No
Limited quantity 5.00L

Excepted quantity E1

**IATA** 

UN Number: UN 1993

Proper Shipping Name: Flammable liquid, n.o.s.(Organofunctional silane, Organotitanium

compound)

366

Transport Hazard Class(es):

Class: 3
Label(s): 3
Packing Group: III
Cargo aircraft only Packing 366

Instructions:

Passenger and cargo aircraft

Packing Instructions:

Limited quantity: 10.00L Packing Instructions: Y344

Excepted quantity E1

Environmental Hazards: Not regulated.

Marine Pollutant: No

# 15. Regulatory information

# **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

SDS\_US 10/13



Revision Date: 05/18/2018

#### ECC3051S

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Flammable (gases, aerosols, liquids, or solids)

### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

# SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

# SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

Polyalkylalkoxysiloxane 10000 lbs
Dimethyl Silicone Oil 10000 lbs
Organotitanium compound 10000 lbs

### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

# **US State Regulations**

### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Methanol Maximum Allowable Dose Level

(MADL): 47000 µg/day. Developmental toxin.

# US. New Jersey Worker and Community Right-to-Know Act

### **Chemical Identity**

Polyalkylalkoxysiloxane

Dimethyl Silicone Oil

Alkylalkoxysiloxane

Organotitanium compound

Tris(3(trimethoxysilyI)propyI)isocyanurate

SDS\_US 11/13



Revision Date: 05/18/2018

### ECC3051S

# **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

# **US. Pennsylvania RTK - Hazardous Substances**

No ingredient regulated by PA Right-to-Know Law present.

# **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

# **Inventory Status:**

monitory otatao.				
Australia AICS:	n (Negative listing)	Remarks: None.		
Canada DSL Inventory List:	n (Negative listing)	Remarks: None.		
EU EINECS List:	y (positive listing) Remarks: None.			
Japan (ENCS) List:	y (positive listing)	Remarks: None.		
China Inv. Existing Chemical Substances:	y (positive listing)	Remarks: None.		
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.		
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.		
Philippines PICCS:	y (positive listing)	Remarks: None.		
US TSCA Inventory:	y (positive listing)	Remarks: None.		
New Zealand Inventory of	y (positive listing)	Remarks: None.		
Chemicals:				
Taiwan Chemical Substance	y (positive listing)	Remarks: None.		
Inventory:				

# 16.Other information, including date of preparation or last revision

### **HMIS Hazard ID**

Health	0	
Flammability	3	
Physical Hazards	1	
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 05/18/2018

**Revision Date:** No data available.

Version #: 4.0

Further Information: No data available.

SDS\_US 12/13



Revision Date: 05/18/2018

### ECC3051S

### Disclaimer:

# **Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

# **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.

SDS\_US 13/13