



Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 832HDA-Part B
- · Other Means of Identification: General Purpose Epoxy (Part B)
- Related Part Number:

832HDA-B, 832HDA-B-25ML, 832HDA-B-50ML, 832HDA-B-400ML, 832HDA-B-7.4L, 832HDA-B-40L

- · UFI: APR0-K04Q-S00P-YC97
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Epoxy hardener for use with resins.
- · 1.3 Details of the supplier of the safety data sheet M.G. Chemicals Ltd.
- Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office) 1210 Corporate Drive Burlington, Ontario L7L 5R6 CANADA +(1) 800-340-0772

MG Chemicals Heame House, 23 Bliston Street Sedgely Dudley DY3 1JA. UNITED KINGDOM +(44) 1663 362888 sales@mgchemicals.com

MG Chemicalst Ltd. Level 2, Vision Exchange, Building Territorials Street, Zone 1, Central Business, District, Birkirkara CBD 1070, MALTA

- · Further information obtainable from: sds@mgchemicals.com
- · 1.4 Emergency telephone number:

Verisk 3E (Access code: 335388), +(44) 20 3514787 Other emergency telephone numbers: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

For hazardous material incidents ONLY (leaks, spills, fires, exposures or accidents) USA or CANADA-Call Verisk 3E at +1-866-519-4752 or +1-760-476-3962 (Service access code: 335388)

For emergencies involving the transport of dangerous goods; 24/7 service CANADA-Call CANUTEC collect at +1-613-996-6666 or *666 on cellular phones

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 1)

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

3-aminopropyldimethylamine

m-phenylenebis(methylamine)

decarboxylating cashew nut shell liquid

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P102

Keep out of reach of children.

P261

Avoid breathing fumes and vapors.

P264

Wash thoroughly after handling.

P280

Wear protective gloves, protective clothing, and eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P501

Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Determination of endocrine-disrupting properties

Endocrine Disruptor substance ≥ 0.1% = none

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 2)

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 109-55-7	3-aminopropyldimethylamine	12.0%
EINECS: 203-680-	9 🍅 Flam. Liq. 3, H226; 🔶 Skin Corr. 1B, H314; 🕦 Acute Tox. 4, H302; Skin Sens. 1, H317	
CAS: 26139-75-3	formaldehyde, polymer with 1,3,dimethylbenzene	10.0%
	♦ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	9.0%
EINECS: 202-013-	9 🗘 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 8007-24-7	decarboxylating cashew nut shell liquid	9.0%
	① Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 1477-55-0	m-phenylenebis(methylamine)	5.0%
EINECS: 216-032-	5 🔆 Skin Corr. 1B, H314; 🕦 Acute Tox. 4, H302; Acute Tox. 4, H332	
Additional inform	ation: For the wording of the listed hazard phrases refer to section	16

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

GB

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 3)

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

(Contd. of page 4)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

· Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state

· Colour:

· Odour:

· Odour threshold:

· Melting point/freezing point:

· Boiling point or initial boiling point and

boiling range

· Flammability

· Lower and upper explosion limit

· Lower:

· Upper:

. .

Flash point:

· Auto-ignition temperature:

Decomposition temperature:pH

Viscosity:

· Kinematic viscosity

Dynamic:Solubility

· water:

Fluid

According to product specification

Characteristic
Not determined.
Undetermined.

130 ℃

Not applicable.

2.3 Vol % (109-55-7

aminopropyldimethylamine)

12.3 Vol % (109-55-7 3-aminopropyldimethylamine)

Not applicable.

3 0 5 ° C (1 0 9 - 5 5 - 7 3 -

aminopropyldimethylamine) Not determined.

Not determined.

Not determined. Not determined.

Fully miscible.

(Contd. on page 6)

3 -

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 5)

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 6 hPa (109-55-7 3-aminopropyldimethylamine)

Density and/or relative density

Density at 20 °C: 0.99 g/cm³
 Relative density Not determined.
 Bulk density: 820 kg/m³
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

Form: Fluid Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Solvent content:

· VOC (EC)· Solids content:0.00 %88.0 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void Void · Flammable gases · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water
Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Desensitised explosives

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 6)

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 3,422 mg/kg Inhalative LC50/4 h 48 mg/l (rat)

109-55-7 3-aminopropyldimethylamine

Oral LD50 1,870 mg/kg (rat) Dermal LD50 490 mg/kg (rabbit)

1477-55-0 m-phenylenebis(methylamine)

Oral LD50 1,040 mg/kg (rat) Inhalative LC50/4 h 2.4 mg/l (rat)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

GF

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 7)

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP6 Acute Toxicity

HP8 Corrosive

HP13 Sensitising

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · ADR
- · IMDG
- · IATA
- · 14.3 Transport hazard class(es)
- · ADR, IMDG





· Class

Label

·IATA



- · Class
- · Label
- · 14.4 Packing group
- · ADR, IMDG, IATA
- · 14.5 Environmental hazards:
- · Marine pollutant:
- Special marking (ADR):
- · 14.6 Special precautions for user
- Hazard identification number (Kemler code):
- EMS Number:
- · Segregation groups

UN1760

1760 CORROSIVE LIQUID, N.O.S. (3-

aminopropyldimethylamine)

CORROSIVE LIQUID, N.O.S. (3-aminopropyldimethylamine), MARINE

POLLUTANT

Corrosive liquid, n.o.s. (3-

aminopropyldimethylamine)

8 Corrosive substances.

8

8 Corrosive substances.

8

11

Symbol (fish and tree) Symbol (fish and tree)

Warning: Corrosive substances.

80 F-A,S-B (SGG18) Alkalis

(Contd. on page 9)

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 8) В

· Stowage Category

· Stowage Code SW2 Clear of living quarters.

14.7 Maritime transport in bulk according

to IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1L

 Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

ml

· Transport category 2 · Tunnel restriction code Ε

· IMDG

· Limited quantities (LQ) 1L

 Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

UN 1760 CORROSIVE LIQUID, N.O.S. (3-UN "Model Regulation":

AMINOPROPYLDIMETHYLAMINE), 8, II

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10)

Printing date 15.04.2024 Version number 2 (replaces version 1) Revision: 15.04.2024

Trade name: 832HDA-Part B

(Contd. of page 9)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· Department issuing SDS: Product safety department.

· Contact: sds@mgchemicals.com

Date of previous version: 26.02.2024
 Version number of previous version: 1

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.