

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: 8241

- **Other Means of Identification:** 70/30 Isopropyl Alcohol for Electronics
- **Related Part Number:**
8241-Liquid, 8241-475ML, 8241-475MLCA, 8241-945ML, 8241-945MLCA, 8241-945MLX6, 8241-945MLCAX6, 8241-1G, 8241A-1G, 8241-20L, 8241-205L
- **UFI:** R6P0-W046-W00A-SFDC

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

- **Product category** PC0 Other
- **Application of the substance / the mixture** Multipurpose cleaner for electronic
- **Uses advised against** Not for use on monitor screens or glass with anti-glare coatings

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 905-331-1396
info@mgchemicals.com

MG Chemicals
Heame House, 23 Bliston Street
Sedgely Dudley DY3 1JA.
United Kingdom
+(44) 1663 362888

MG Chemicalst Ltd.
18-20, Msida Road,
Gzira, GZR 1401
MALTA

- **Further information obtainable from:** sds@mgchemicals.com

· 1.4 Emergency telephone number:

3E (Access code: 335388)
+(44) 20 3514787
+(1) 760 476 3961
UK Toll free: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Safety data sheet

according to UK REACH

Trade name: 8241

(Contd. of page 1)

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS02 GHS07

Signal word Danger

Hazard-determining components of labelling:

Propan-2-ol

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing, and eye protection or face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use CO₂, powder or water spray to extinguish.

P501 Dispose of contents and container in accordance with local, regional, and national regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

• PBT: Not applicable.

• vPvB: Not applicable.

• Determination of endocrine-disrupting properties Endocrine Disruptor substance $\geq 0.1\%$ = none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	65–75%
CAS: 7732-18-5 EINECS: 231-791-2	water, distilled, conductivity or of similar purity	25–35%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

Trade name: 8241

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Remove person to fresh air and keep comfortable for breathing.
If symptoms persist consult doctor.

· After skin contact:

Take off immediately all contaminated clothing. Wash skin with plenty of water.
If skin irritation or rash occurs: Get medical advice or attention.
Wash contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.

· After swallowing:

Rinse mouth.
Do NOT induce vomiting.
If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Vapors are heavier than air. Vapors may travel to sources of ignition near the ground. They can cause flash fire or ignite explosively.

Prevent fire-fighting wash from entering waterway or sewer system.

· Hazardous combustion products: Carbon Oxides (CO_x)

· 5.3 Advice for firefighters

· **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Remove or keep away all sources of extreme heat or open flames.

· 6.2 Environmental precautions:

Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

GB

Trade name: 8241

(Contd. of page 3)

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Collect liquid in a sealable, chemical-resistant container.

Wash residue with a paper towel and place dirty towels in container.

Use soap and water to remove the last traces of residue.

RECOMMENDATION: Use a grounded stainless steel or carbon steel container or a solvent resistant plastic container.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Wear protective gloves and eye protection.

Wash hands and exposed skin thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Avoid breathing mist, spray, or vapors.

· **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Keep in a dry and clean area, away from incompatible substances

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Storage class:** 3

· **7.3 Specific end use(s)** See section 1.2

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

67-63-0 Propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

Trade name: 8241

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

If the product is heated or worker has a known allergic reaction, consider using a full mask with organic vapor cartridge or with an independent air supply.

· **Hand protection**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses or tightly sealed goggles: EN 166

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Physical state	Liquid
· Form:	Low viscosity
· Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	≥80.6 °C
· Flammability	Highly flammable.
· Lower and upper explosion limit	
· Lower:	2 Vol % (67-63-0 Propan-2-ol)
· Upper:	12 Vol % (67-63-0 Propan-2-ol)
· Flash point:	18 °C
· Auto-ignition temperature:	≥425 °C (67-63-0 Propan-2-ol)
· Decomposition temperature:	Not determined.
· pH	Not applicable.

(Contd. on page 6)

Safety data sheet

according to UK REACH

Trade name: 8241

(Contd. of page 5)

<ul style="list-style-type: none"> · Viscosity: <ul style="list-style-type: none"> · Kinematic viscosity · Dynamic at 20 °C: · Solubility <ul style="list-style-type: none"> · water: · Partition coefficient n-octanol/water (log value) · Vapour pressure at 20 °C: · Density at 20 °C: · Relative density: · Bulk density: · Vapour density (air=1): · Particle characteristics 	<p>Not determined. 2.4 mPas</p> <p>Fully miscible.</p> <p>Not determined.</p> <p>43 hPa (67-63-0 Propan-2-ol)</p> <p>0.86–0.87 g/cm³</p> <p>0.86-0.87</p> <p>691–1,043 kg/m³</p> <p>2.1 (Air = 1)</p> <p>Not applicable.</p>
<ul style="list-style-type: none"> · 9.2 Other information 	
<ul style="list-style-type: none"> · 9.2.1 Information with regard to physical hazard classes <ul style="list-style-type: none"> · Flammable liquids · 9.2.2 Other safety characteristics <ul style="list-style-type: none"> · Evaporation rate · Ignition temperature: · Explosive properties: · Solvent content: <ul style="list-style-type: none"> · Organic solvents: · Water: · VOC (EC) · Solids content: 	<p>Highly flammable liquid and vapour.</p> <p>1.5 (ButAc=1)</p> <p>Product is not selfigniting.</p> <p>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</p> <p>65–75 %</p> <p>25–35 %</p> <p>65–75 %</p> <p>0.0 %</p>

SECTION 10: Stability and reactivity

- **10.1 Reactivity** At elevated temperatures, may react with aluminum and generate hydrogen gas.
- **10.2 Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid**
Avoid open flames, excessive heat, sparks, ignition sources, and incompatible substances.
- **10.5 Incompatible materials:**
Strong oxidizing agents
Strong acids
Strong bases
Halogenated compounds
Aluminum at temperatures ≥ 49 °C
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.

(Contd. on page 7)

Safety data sheet

according to UK REACH

Printing date 08.07.2025

Version number 7.00 (replaces version 5.01)

Revision: 05.09.2024

Trade name: 8241

Hazardous combustion products: see section 5.

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

67-63-0 Propan-2-ol		
Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/L (rat)

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** May cause drowsiness or dizziness.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

Summary of Effects and Symptoms by Routes of Exposure

· **Eyes:**

irritation
redness
tearing of the eyes
pain

· **Skin:**

dry skin
redness

· **Inhalation:**

cough
dizziness or drowsiness
drowsiness
headache
weakness
narcotic effects
unconsciousness

· **Swallowed:** see inhalation symptoms

· **Subacute to chronic toxicity:**

· **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Prolonged or repeated exposure may defat skin and cause skin dryness and cracking, and local redness and discomfort.

No further relevant information available.

(Contd. on page 8)

Trade name: 8241

(Contd. of page 7)

· **11.2 Information on other hazards**

· Endocrine disrupting properties
None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· Aquatic toxicity:	
67-63-0 Propan-2-ol	
EC50/ 24 h	5,102 mg/L (daphnia)
EC50/ 72 h	>2,000 mg/L (algae)
LC50 96h	9,640 mg/L (minnow)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** This material and its container must be disposed of as hazardous waste.

· European waste catalogue	
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

· **Uncleaned packaging:**

· **Recommendation:**

Containers may still present a chemical hazard/ danger when empty.
Dispose of contents in accordance with all local, regional, national, and international regulations.
Where possible retain label warnings and SDS and observe all notices pertaining to the product.

(Contd. on page 9)

Safety data sheet
according to UK REACH

Printing date 08.07.2025

Version number 7.00 (replaces version 5.01)

Revision: 05.09.2024

Trade name: 8241

(Contd. of page 8)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1219
· 14.2 UN proper shipping name · ADR, IMDG · IATA	ISOPROPANOL (ISOPROPYL ALCOHOL) Isopropanol (isopropyl alcohol)
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA	 · Class 3 Flammable liquids. · Label 3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category	Not applicable. 33 F-E,S-D B
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	 Limited Quantity 8241-475ML, 8241-475MLCA, 8241-945ML, 8241-945MLCA, 8241-945MLX6, 8241-945MLCAX6
· ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 D/E

(Contd. on page 10)

Safety data sheet

according to UK REACH

Trade name: 8241

(Contd. of page 9)

<ul style="list-style-type: none"> · IMDG <ul style="list-style-type: none"> · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II</p>

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

<ul style="list-style-type: none"> · Regulated explosives precursors (Part 1) 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Regulated poisons (Part 2) 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Reportable explosives precursors (Part 3) 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Reportable poisons (Part 4) 	<p>None of the ingredients is listed.</p>

· Directive 2012/18/EU

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

<ul style="list-style-type: none"> · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Annex II - REPORTABLE EXPLOSIVES PRECURSORS 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Regulation (EC) No 273/2004 on drug precursors 	<p>None of the ingredients is listed.</p>
<ul style="list-style-type: none"> · Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors 	<p>None of the ingredients is listed.</p>

(Contd. on page 11)

Trade name: 8241

(Contd. of page 10)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

- **Classification according to Regulation (EC) No 1272/2008**

Flammable liquids	On basis of test data
Serious eye damage/irritation Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- **Department issuing SDS:** Regulatory department
- **Contact:** sds@mgchemicals.com
- **Date of previous version:** 03.08.2024
- **Version number of previous version:** 5.01
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- *** Data compared to the previous version altered.**